



TECUMSEH/YORK /CCI SHAFT SEAL KITS

6 Bolt – 1/4" Heads



6 Bolt – 3/8" Heads



75R6500

RD-5-8339-0P

CCI And Tecumseh Shaft Seal Kit 6 Bolts-3/8" Head



75R6510

RD-5-8338-0P

CCI Shaft Seal Kit 6 Bolts-1/4" Head



75R6520

RD-5-8337-0P

Tecumseh Shaft Seal Kit **LS**



ZEXE L/SAN DEN SHAFT SEAL KITS

75R6530

RD-5-8340-0P

Zexel (Diesel Kiki)



75R6540

RD-5-8335-0P

Sanden SD508-SD510



75R6545

RD-5-7704-0P

Sanden 7H15,
7H15HD



75R6550

RD-5-8336-0P

Sanden SD709




CLIMATRANS INC.

www.climatrans.com

Eastern Canada

BLISSFIELD (TECUMSEH), CCI (YORK) COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "A" of pulley.
4. Measure width of pulley groove "C".
5. Measure the "B" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are $\frac{5}{32}$ "
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	[C] Grooves	Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
5 $\frac{3}{8}$ "	Poly 8	0.14	1 $\frac{5}{8}$ "	12	single wire with diode / Female Weatherpak (IHC) plug	75R0662	RD-5-9802-0P
5 $\frac{3}{4}$ "	Poly 6	0.14	2"	12	double wire with diode / Metripak plug	75R0502	RD-5-10363-0P
5 $\frac{3}{4}$ "	Poly 6	0.14	2"	12	single wire with diode / Weatherpak plug	75R0512	RD-5-10364-0P
5 $\frac{7}{8}$ "	Poly 6	0.14	1 $\frac{5}{8}$ "	12	double wire with diode / Metripak plug	75R0522	RD-5-10366-0P
6"	1	$\frac{1}{2}$ "	2 $\frac{3}{4}$ "	12	single wire with diode / Weatherpak plug	75R0302	RD-5-4966-0P
6"	1	$\frac{1}{2}$ "	2 $\frac{3}{4}$ "	12	single wire with diode / Female Weatherpak (IHC) plug	75R0402	RD-5-9665-0P
6"	2	$\frac{1}{2}$ "	1 $\frac{5}{8}$ "	12	single wire with diode / Weatherpak plug	75R1202	RD-5-4972-1P
6"	2	$\frac{1}{2}$ "	1 $\frac{5}{8}$ "	12	double wire with diode / Metripak plug	75R1302	RD-5-9456-0P
6"	2	$\frac{1}{2}$ "	2 $\frac{1}{4}$ "	12	single wire / Female Weatherpak (IHC) plug	75R0422	RD-5-10367-0P
6"	2	$\frac{1}{2}$ "	2 $\frac{1}{4}$ "	24	single wire / Male bullet plug	75R4734	RD-5-9659-0P
6"	2	$\frac{1}{2}$ "	2 $\frac{1}{16}$ "	12	single wire / Female Weatherpak (IHC) plug	75R1222	RD-5-9798-0P
6 $\frac{1}{8}$ "	Poly 6	0.14	—	12	single wire with diode / Female Weatherpak (IHC) plug	75R0612	RD-5-8009-0P
6 $\frac{1}{8}$ "	Poly 8	0.14	1 $\frac{5}{16}$ "	12	double wire with diode / Metripak plug	75R0682	RD-5-10365-0P
6 $\frac{1}{4}$ "	1	$\frac{5}{8}$ "	2 $\frac{1}{16}$ "	12	single wire / Female Weatherpak (IHC) plug	75R1342	RD-5-10397-0P
6 $\frac{1}{4}$ "	1	$\frac{1}{2}$ "	2 $\frac{1}{2}$ "	12	single wire / Male bullet plug	75R0152	RD-5-4965-0P
6 $\frac{3}{4}$ "	1	$\frac{1}{2}$ "	2 $\frac{3}{4}$ "	12	single wire / Male bullet plug	75R3002	RD-5-4984-0P
6 $\frac{3}{4}$ "	1	$\frac{1}{2}$ "	3 $\frac{1}{8}$ "	12	single wire / Male bullet plug	75R2402	RD-5-4980-0P
6 $\frac{3}{4}$ "	1	$\frac{5}{8}$ "	1 $\frac{3}{4}$ "	12	single wire / Male bullet plug	75R1652	RD-5-4975-0P
6 $\frac{3}{4}$ "	1	$\frac{5}{8}$ "	2"	12	single wire / Male bullet plug	75R2702	RD-5-4982-0P
6 $\frac{3}{4}$ "	1	$\frac{5}{8}$ "	3 $\frac{1}{8}$ "	12	single wire / Male bullet plug	75R2552	RD-5-4981-0P
6 $\frac{3}{4}$ "	1	$\frac{11}{16}$ "	2 $\frac{1}{16}$ "	12	single wire / Male bullet plug	75R3602	RD-5-4988-0P
6 $\frac{3}{4}$ "	2	$\frac{1}{2}$ "	1 $\frac{5}{8}$ "	12	single wire / Male bullet plug	75R3452	RD-5-4987-0P
6 $\frac{3}{4}$ "	2	$\frac{1}{2}$ "	2 $\frac{1}{4}$ "	12	single wire / Female Weatherpak (IHC) plug	75R3502	RD-5-10370-0P
7"	2	$\frac{1}{2}$ "	2"	12	single wire / Male bullet plug	75R4502	RD-5-4994-0P
7"	2	$\frac{1}{2}$ "	2"	24	single wire / Male bullet plug	75R4534	RD-5-8382-0P
7 $\frac{1}{4}$ "	1	$\frac{3}{4}$ "	2"	12	single wire / Male bullet plug	75R4652	RD-5-4995-0P



BLISSFIELD (TECUMSEH), CCI (YORK) COMPRESSOR CLUTCHES
75R0152
RD-5-4965-0P


OE #L50-2408
Diameter: 6 1/4"
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 1/2"

Single wire coil
Male bullet plug


75R0502
RD-5-10363-0P


Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Double wire coil w diode
Metripak plug


75R0302
RD-5-4966-0P


OE #L50-2409
Diameter: 6"
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 3/4"

Single wire coil w diode
Weatherpak plug


75R0512
RD-5-10364-0P

OE #14304, 23100S
Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Single wire coil w diode
Weatherpak plug


75R0402
RD-5-9665-0P

OE #508888
Diameter: 6"
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 3/4"

Single wire coil
Female Weatherpak (IHC) plug


75R0522
RD-5-10366-0P


OE #522583, MAE-MG07
Diameter: 5 7/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 5/8"

Double wire coil w diode,
Metripak plug


75R0422
RD-5-10367-0P


Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2 1/4"

Single wire coil
Female Weatherpak (IHC) plug


75R0612
RD-5-8009-0P

OE #520226, MA-N03D
Diameter: 6 1/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -

Single wire coil w diode
Female Weatherpak (IHC) plug



75R SERIES

BLISSFIELD (TECUMSEH), CCI (YORK) COMPRESSOR CLUTCHES

75R0662

RD-5-9802-0P

OE #515376, MA-N05
Diameter: 5 $\frac{3}{8}$ "
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 $\frac{5}{8}$ "

Single wire coil w diode
Female Weatherpak (IHC) plug




75R0682

RD-5-10365-0P

OE #522584, MAE-MG01
Diameter: 6 $\frac{3}{8}$ "
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 $\frac{5}{16}$ "

Double wire coil w diode
Metripak plug



75R1202

RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Dimension: 1 $\frac{5}{8}$ "

Single wire coil w diode
Weatherpak plug




75R1222

RD-5-9798-0P

OE #N83 303142, MA-N02
Diameter: 6"
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Dimension: 2 $\frac{1}{16}$ "

Single wire coil
Female Weatherpak (IHC) plug




75R1302

RD-5-9456-0P

OE #522582, MAE-06A
Diameter: 6"
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Dimension: 1 $\frac{5}{8}$ "

Double wire coil w diode
Metripak plug



75R1342

RD-5-10397-0P

OE #515528, MA-N06D, 2035274C1
Diameter: 6 $\frac{1}{4}$ "
Groove: 1
Width: $\frac{5}{8}$ "
12 Volts
B Dimension: 2 $\frac{1}{16}$ "

Single wire coil
Female Weatherpak (IHC) plug




75R1652

RD-5-4975-0P

OE #L50-2731
Diameter: 6 $\frac{3}{4}$ "
Groove: 1
Width: $\frac{5}{8}$ "
12 Volts
B Dimension: 1 $\frac{3}{4}$ "

Single wire coil
Male bullet plug



75R2402

RD-5-4980-0P

Diameter: 6 $\frac{3}{4}$ "
Groove: 1
Width: $\frac{1}{2}$ "
12 Volts
B Dimension: 3 $\frac{1}{8}$ "

Single wire coil
Male bullet plug



BLISSFIELD (TECUMSEH), CCI (YORK) COMPRESSOR CLUTCHES

75R2552

RD-5-4981-0P

Diameter: 6 $\frac{3}{4}$ "
 Groove: 1
 Width: $\frac{5}{8}$ "
 12 Volts
 B Dimension: 3 $\frac{1}{8}$ "

Single wire coil
 Male bullet plug

**75R2702**

RD-5-4982-0P

OE #L50-2732
 Diameter: 6 $\frac{3}{4}$ "
 Groove: 1
 Width: $\frac{5}{8}$ "
 12 Volts
 B Dimension: 2"

Single wire coil
 Male bullet plug

**75R3002**

RD-5-4984-0P

OE #L50-2393
 Diameter: 6 $\frac{3}{4}$ "
 Groove: 1
 Width: $\frac{1}{2}$ "
 12 Volts
 B Dimension: 2 $\frac{3}{4}$ "

Single wire coil
 Male bullet plug

**75R3452**

RD-5-4987-0P

OE #L50-2742
 Diameter: 6 $\frac{3}{4}$ "
 Groove: 2
 Width: $\frac{1}{2}$ "
 12 Volts
 B Dimension: 1 $\frac{5}{8}$ "

Single wire coil
 Male bullet plug

**75R3502**

RD-5-10370-0P

OE #511199, MA N01
 Diameter: 6 $\frac{3}{4}$ "
 Groove: 2
 Width: $\frac{1}{2}$ "
 12 Volts
 B Dimension: 2 $\frac{1}{4}$ "

Single wire coil
 Female Weatherpak (IHC) plug

**75R3602**

RD-5-4988-0P

OE #L50-2743
 Diameter: 6 $\frac{3}{4}$ "
 Groove: 1
 Width: $\frac{1}{16}$ "
 12 volts
 B Dimension: 2 $\frac{1}{16}$ "

Single wire coil
 Male bullet plug

**75R4502**

RD-5-4994-0P

OE #332334, MA-7A
 Diameter: 7"
 Groove: 2
 Width: $\frac{1}{2}$ "
 12 Volts
 B Dimension: 2"

Single wire coil
 Male bullet plug

**75R4534**

RD-5-8382-0P

OE #501075, MA-7A 2, MA-7A 24V
 Diameter: 7"
 Groove: 2
 Width: $\frac{1}{2}$ "
 24 Volts
 B Dimension: 2"

Single wire coil
 Male bullet plug



75R SERIES

BLISSFIELD (TECUMSEH), CCI (YORK) COMPRESSOR CLUTCHES

75R4652

RD-5-4995-0P

OE #502400, L50-2400

Diameter: 7 1/4"

Groove: 1

Width: 3/4"

12 Volts

B Dimension: 2"

Single wire coil
Male bullet plug



75R4734

RD-5-9659-0P

OE #501076, MA-6A-2, MA6A-24V

Diameter: 6"

Groove: 2

Width: 1/2"


24 Volts

B Dimension: 2 1/4"

Single wire coil
Male bullet plug



NIPPONDENSO for FORD/JOHN DEERE COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "A" of pulley.
4. Measure width of pulley groove "C".
5. Measure the "B" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are $\frac{5}{32}$ ".
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS

Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	[C] Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4 $\frac{1}{2}$ "	Poly 7	$\frac{1}{8}$ "	$\frac{7}{8}$ "	12	FX-15 / 2 prong Ford integral, 21 spline	75R4762	RD-5-10359-0P
4 $\frac{7}{8}$ "	Poly 6	$\frac{1}{8}$ "	—	12	FS-6 / 2 prong Ford integral	75R4702	RD-5-10401-0P
5"	Poly 6	$\frac{1}{8}$ "	$\frac{3}{4}$ "	12	FX-15 / 2 prong Ford integral, 21 spline	75R4742	RD-5-10357-0P
5 $\frac{9}{16}$ "	Poly 6	$\frac{1}{8}$ "	$\frac{3}{4}$ "	12	FX-15 / 2 prong Ford integral, 21 spline	75R4752	RD-5-10358-0P
5 $\frac{7}{8}$ "	1	$\frac{7}{16}$ "	$\frac{7}{8}$ "	12	FS-6 / 2 prong Ford integral	75R4722	RD-5-10355-0P
5 $\frac{7}{8}$ "	1	$\frac{7}{16}$ "	1 $\frac{3}{8}$ "	12	FS-6 / 3 eye-2 prong Ford integral	75R4732	RD-5-9657-0P

A typical two-prong, Ford integral connector



75R4702

RD-5-10401-0P

Model: FS-6
Diameter: 4 $\frac{7}{8}$ "
Groove: Poly 6
Width: $\frac{1}{8}$ "
12 Volts
B Dimension: -

Two-prong
Ford integral



75R4722

RD-5-10355-0P

OE # E8DZ-2987A
Model: FS-6
Diameter: 5 $\frac{7}{8}$ "
Groove: 1
Width: $\frac{7}{16}$ "
12 Volts
B Dimension: $\frac{7}{8}$ "

Two-prong
Ford integral



75R4732

RD-5-9657-0P

OE # 518484, FF-E4TH-BA1
Model: FS-6
Diameter: 5 $\frac{7}{8}$ "
Groove: 1
Width: $\frac{7}{16}$ "
12 Volts
B Dimension: 1 $\frac{3}{8}$ "

Two-prong
Ford integral



CONTINUES ON NEXT PAGE

75R SERIES

NIPPONDENSO for FORD/JOHN DEERE COMPRESSOR CLUTCHES

75R4742

RD-5-10357-0P

OE # F10H-19D798AA, F20H-19D786-AA

Model: FX-15

Diameter: 5"

Groove: Poly 6

Width: $\frac{1}{8}$ "

12 Volts

B Dimension: $-\frac{3}{4}$ "



Two-prong

Ford integral, 21 spline

75R4752

RD-5-10358-0P

Model: FX-15

Diameter: $5\frac{9}{16}$ "

Groove: Poly 6

Width: $\frac{1}{8}$ "

12 Volts

B Dimension: $-\frac{3}{4}$ "



Two-prong

Ford integral, 21 spline

75R4762

RD-5-10359-0P

Model: FX-15

Diameter: $4\frac{1}{2}$ "

Groove: Poly 7

Width: $\frac{1}{8}$ "

12 Volts

B Dimension: $-\frac{7}{8}$ "




Two-prong

Ford integral, 21 spline



SANDEN COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "A" of pulley.
4. Measure width of pulley groove "C".

- Clutches are listed by pulley diameter
- All keys are $\frac{3}{32}$ "
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS

Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	[C] Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4.7" 119mm	Poly 6	0.14	2 1/2" / 63mm	12	709, 7H15 / double wire coil, male bullet	75R0032	RD-5-10398-0P
4.7" 119mm	Poly 7	0.14	—	12	SD5 (508, 510, 5H14) / single wire, male bullet	75R0042	RD-5-5574-0P
4.7" 119mm	Poly 7	0.14	1 7/8" / 48mm	12	709, 7H15 / single wire coil, Weatherpak	75R0052	RD-5-10399-0P
4.7" 119mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Metripak plug	75R1842	RD-5-10760-0P
4.7" 119mm	Poly 8	0.14	1 13/16" / 46mm	12	709, 7H15 / single wire coil, male bullet	75R1862	RD-5-10762-0P
4 3/4" 122mm	1	1/2-3/4" var	—	12	SD5 (508) overhang / single wire, male bullet	75R1872	RD-5-10758-0P
4.9" 125mm	2	1/2"	—	12	SD5 (508, 510, 5H14) / double wire, Ford OE plug	75R1522	RD-5-10362-0P
4.9" 125mm	2	1/2"	2 5/32" / 55mm	12	709, 7H15 / double wire coil, Metripak plug	75R1532	RD-5-10368-0P
4.9" 125mm	2	1/2"	—	12	SD7 / single wire coil, male bullet	75R0192	RD-5-7831-0P
4.9" 125mm	2	1/2"	1 5/16" / 40mm	24	709, 7H15 / single wire, fem. 280 HD Plug	75R0194	RD-5-7832-0P
4.9" 125mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Ford OE Plug	75R1432	RD-5-10361-0P
5 1/8" 130mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Metripak plug	75R4802	RD-5-11374-0P
5 1/4" 132mm	2	1/2"	1 5/16" / 40mm	12	SD5 (508, 510, 5H14) / single wire	75R0202	RD-5-5486-0P
5 1/4" 132mm	2	1/2"	1 5/16" / 40mm	24	SD5 (508, 510, 5H14) / single wire, male bullet	75R0204	RD-5-5487-0P
5 1/4" 132mm	2	1/2"	1 5/16" / 40mm	12	709, 7H15 / double wire coil, Ford OE Plug	75R1542	RD-5-10369-0P
5 1/4" 132mm	2	1/2"	—	12	709, 7H15 double wire coil, Metripak plug	75R1832	RD-5-10759-0P
5 1/4" 132mm	2	1/2"	—	12	709, 7H15 2 wire coil w diode, Metripak plug	75R1852	RD-5-10761-0P
5 1/2" 138mm	1	1/2"	2 11/16" / 68mm	12	SD5 (508, 510, 5H14) / single wire	75R4772	RD-5-9666-0P
6 1/4" 158mm	1	1/2-3/4" var	1 5/16" / 40mm	12	SD5 (508, 510, 5H14) / single wire, male bullet	75R1402	RD-5-5489-0P
6 1/4" 158mm	1	1/2-3/4" var	1 5/16" / 40mm	24	SD5 (508, 510, 5H14) / single wire, male bullet	75R1404	RD-5-5488-0P
6 23/32" 169mm	1	1/2"	1 5/16" / 40mm	12	709, 7H15 / double wire coil, Ford OE Plug	75R1512	RD-5-10360-0P



75R0032

RD-5-10398-0P

OE # 6524-6010
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 6
Width: .14"
12 Volts
B Distance: 2 1/2" / 63mm

Double wire coil
Male bullet plug



75R0042

RD-5-5574-0P

OE # 6520-6010
Model SD5 (508, 510, 5H14)
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: -

Single wire coil
Male bullet plug



75R SERIES

SANDEN COMPRESSOR CLUTCHES

75R0052

RD-5-10399-0P

OE # 6512-6210
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: 1 7/8" / 48mm



Single wire coil
Weatherpak plug



75R0192

RD-5-7831-0P

OE # 4446-9931
Model SD7
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: -



Single wire coil
Male bullet plug



75R0194

RD-5-7832-0P

OE # 6511-6310
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
24 Volts
B Distance: 1 1/8" / 40mm



Single wire coil
Female 280 HD plug



75R0202

RD-5-5486-0P

OE # 6575-6310
Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 1/8" / 40mm



Single wire coil
Bare wire



75R0204

RD-5-5487-0P

OE # 6519-6210
Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
24 Volts
B Distance: 1 1/8" / 40mm



Single wire coil
Male bullet plug



75R1402

RD-5-5489-0P

OE # 6521-6010
Model SD5 (508, 510, 5H14)
Diameter: 6 1/4" / 158mm
Groove: 1
Width: 1/2-3/4" variable
12 Volts
B Distance: 1 1/8" / 40mm



Single wire coil
Male bullet plug



75R1404

RD-5-5488-0P

OE # 6521-6210
Model SD5 (508, 510, 5H14)
Diameter: 6 1/4" / 158mm
Groove: 1
Width: 1/2-3/4" variable
24 Volts
B Distance: 1 1/8" / 40mm



Single wire coil
Male bullet plug



75R1432

RD-5-10361-0P

OE#6593-6010
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: Poly 8
Width: .14"
12 Volts
B Distance: -



Double wire coil
Ford OE plug



SANDEN COMPRESSOR CLUTCHES
75R1512
RD-5-10360-0P

OE # 6506-6010
Model 709 / 7H15
Diameter: 6 $\frac{1}{2}$ " / 169mm
Groove: 1
Width: $\frac{1}{2}$ "
12 Volts
B Distance: 1 $\frac{1}{16}$ " / 40mm

Double wire coil
Ford OE plug


75R1522
RD-5-10362-0P

Model SD5 (508, 510, 5H14)
Diameter: 4.9" / 125mm
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Distance: -

Double wire coil
Ford OE plug


75R1532
RD-5-10368-0P

OE # 6593-6010, 4740-9931
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Distance: 2 $\frac{5}{32}$ " / 55mm

Double wire coil
Metripak plug


75R1542
RD-5-10369-0P

OE # 6504-6010
Model 709 / 7H15
Diameter: 5 $\frac{1}{4}$ " / 132mm
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Distance: 1 $\frac{1}{16}$ " / 40mm

Double wire coil
Ford OE plug


75R1832
RD-5-10759-0P

OE # 4694-9931
Model 709 / 7H15
Diameter: 5 $\frac{1}{4}$ " / 132mm
Groove: 2
Width: $\frac{1}{2}$ "
12 Volts
B Distance: —

Double wire coil
Metripak plug


75R1842
RD-5-10760-0P


OE # 4606-6871, 4705-9930, 9931
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: —

Double wire coil
Metripak plug


75R1852
RD-5-10761-0P


OE # 4752-9931
Model 709 / 7H15
Diameter: 5 $\frac{1}{4}$ " / 132mm
Groove: 2
Width: $\frac{1}{2}$ "
12 volts
B Distance: —

Double wire coil with diode
Metripak plug


75R1862
RD-5-10762-0P

OE # 6522-6010, 9033-9900
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: 1 $\frac{13}{16}$ " / 46mm

Single wire coil
Male bullet plug



75R SERIES

SANDEN COMPRESSOR CLUTCHES

75R1872

RD-5-10758-0P

OE # 8545-6310
Model SD5 (508) overhang
Diameter: 4 $\frac{3}{4}$ " / 122mm
Groove: 1
Width: $\frac{1}{2}$ " - $\frac{3}{4}$ " Variable
12 volts
B Distance: -

Single wire coil
Male bullet plug



75R4772

RD-5-9666-0P

OE #508995, MS 5 $\frac{1}{2}$ A-10
Model SD5 (508, 510, 5H14) overhang
Diameter: 5 $\frac{1}{2}$ " / 138mm
Groove: 1
Width: $\frac{1}{2}$ "
12 Volts
B Distance: - 2 $\frac{1}{16}$ " / 68mm

Single wire coil
Bare wire



75R4802


RD-5-11374-0P

OE # 4885-9931
Model 709 / 7H15
Diameter: 5 $\frac{1}{8}$ " / 130mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: —

Double wire coil w diode
Metripak plug



SELTEC / ICE / DIESEL KIKI / TAMA / ZEXEL COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "A" of pulley.
4. Measure width of pulley groove "C".

- Clutches are listed by pulley diameter
- All keys are $\frac{1}{32}$ "
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS

Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	[C] Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4 $\frac{27}{32}$ " 123mm	Poly 6	0.14	1 $\frac{11}{32}$ " / 34mm	12	Seltec TM15 / 3 eye hub; single wire, male bullet	75R0072	RD-5-10526-0P
4 $\frac{27}{32}$ " 123mm	Poly 6	0.14	—	12	Seltec TM15 / spring leaf; single wire, male bullet	75R0092	RD-5-10545-0P
4 $\frac{27}{32}$ " 123mm	Poly 8	0.14	1 $\frac{11}{32}$ " / 34mm	12	Seltec TM15 / 3 eye hub; single wire, male bullet	75R0082	RD-5-10544-0P
4.9" 125mm	1	$\frac{1}{2}$ "	2 $\frac{7}{16}$ " / 62mm	12	Seltec/TAMA-CH / single wire coil, male bullet	75R0182	RD-5-6646-0P
4.9" 125mm	2	$\frac{1}{2}$ "	1 $\frac{9}{16}$ " / 40mm	12	Seltec TM15 / spring leaf; single wire, male bullet	75R0262	RD-5-10723-0P
4.9" 125mm	2	$\frac{1}{2}$ "	—	12	ICE - TM16 / spring leaf; double wire, Metripak plug	75R1212	RD-5-10724-0P
4.9" 125mm	Poly 8	0.14	—	12	ICE - TM16 / double wire coil, Metripak plug	75R0062	RD-5-10727-0P
5 $\frac{21}{64}$ " 135mm	2	$\frac{1}{2}$ "	1 $\frac{9}{16}$ " / 40mm	12	Seltec-CH / 3 eye hub; single wire, male bullet	75R0172	RD-5-11025-0P
5 $\frac{21}{64}$ " 135mm	2	$\frac{1}{2}$ "	1 $\frac{9}{16}$ " / 40mm	12	Seltec-CH / spring leaf, single wire male bullet	75R0222	RD-5-6996-0P
5 $\frac{21}{64}$ " 135mm	2	$\frac{1}{2}$ "	—	12	Seltec TM15 / 3 eye hub; single wire, male bullet	75R0252	RD-5-10722-0P
5 $\frac{21}{64}$ " 135mm	2	$\frac{1}{2}$ "	1 $\frac{9}{16}$ " / 40mm	24	Seltec TM15 / 3 eye hub; single wire, male bullet	75R0274	RD-5-10232-0P
6" 152mm	2	$\frac{1}{2}$ "	3" / 76mm	12	ICE TM31 / 5 eye hub; single wire, male bullet	75R4782	RD-5-10301-0P
6" 152mm	Poly 8	0.14	2 $\frac{5}{8}$ " / 67mm	12	ICE TM31 / 5 eye hub; single wire, male bullet	75R4792	RD-5-10302-0P
6 $\frac{1}{4}$ " 159mm	1	$\frac{1}{2}$ - $\frac{3}{4}$ " var	1 $\frac{9}{16}$ " / 40mm	12	Seltec-CH / spring leaf, single wire male bullet	75R1422	RD-5-9799-0P
6 $\frac{1}{4}$ " 159mm	1	$\frac{1}{2}$ - $\frac{3}{4}$ " var	1 $\frac{7}{8}$ " / 47mm	12	Seltec/ICE-CH / 3 eye hub; single wire, male bullet	75R1412	RD-5-9249-0P
6 $\frac{1}{4}$ " 159mm	1	$\frac{1}{2}$ - $\frac{3}{4}$ " var	1 $\frac{7}{8}$ " / 47mm	24	Seltec/ICE-CH / 3 eye hub; single wire, male bullet	75R1414	RD-5-9250-0P

75R0062

RD-5-10727-0P

OE # 2570201
Model: ICE - TM16
Diameter: 4.9" / 125mm
Groove: Poly 8
Width: .14"
12 Volts
B Dimension:

Double wire coil
Metripak plug




75R0072

RD-5-10526-0P

OE # 2570144
Model: Seltec - TM15
Diameter: 4 $\frac{27}{32}$ " / 123mm
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 $\frac{11}{32}$ " / 34 mm

Single wire coil
Male bullet plug



75R SERIES

SELTEC / ICE / DIESEL KIKI / TAMA / ZEXEL COMPRESSOR CLUTCHES

75R0082

RD-5-10544-0P

OE # 2570155
Model: Seltec - TM15
Diameter: 4 ²⁷/₃₂" / 123mm
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 ¹/₃₂" / 34 mm



Single wire coil
Male bullet plug

75R0092

RD-5-10545-0P

OE # 2570161
Model: Seltec - TM15
Diameter: 4 ²⁷/₃₂" / 123mm
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -



Single wire coil
Male bullet plug

75R0172

RD-5-11025-0P

OE # 2570151
Model: Seltec - CH
Diameter: 5 ²¹/₆₄" / 135mm
Groove: 2
Width: ¹/₂"
12 Volts
B Dimension: 1 ¹/₆" / 40 mm



Single wire coil
Male bullet plug

75R0182

RD-5-6646-0P

OE # 511869
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ¹/₂"
12 Volts
B Dimension: 2 ⁷/₁₆" / 62 mm



Single wire coil
Male bullet plug

75R0222

RD-5-6996-0P

OE # 518199
Model: Seltec CH
Diameter: 5 ²¹/₆₄" / 135mm
Groove: 2
Width: ¹/₂"
12 Volts
B Dimension: 1 ¹/₆" / 40 mm



Single wire coil
Male bullet plug

75R0252

RD-5-10722-0P

OE # 2570152
Model: Seltec - TM15
Diameter: 5 ²¹/₆₄" / 135mm
Groove: 2
Width: ¹/₂"
12 Volts
B Dimension: -



Single wire coil
Male bullet plug

75R0262

RD-5-10723-0P

OE # 2570159
Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: ¹/₂"
12 Volts
B Dimension: 1 ¹/₆" / 40 mm



Single wire coil
Male bullet plug

75R0274

RD-5-10232-0P

OE # 2570150
Model: Seltec - TM15
Diameter: 5 ²¹/₆₄" / 135mm
Groove: 2
Width: ¹/₂"
24 Volts
B Dimension: 1 ¹/₆" / 40 mm



Single wire coil
Male bullet plug



SELTEC / ICE / DIESEL KIKI / TAMA / ZEXEL COMPRESSOR CLUTCHES
75R1212
RD-5-10724-0P


OE # 2570158
Model: ICE - TM16
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2",
12 Volts
B Dimension: -

Double wire coil
Metripak plug


75R1412
RD-5-9249-0P

OE # 2570148
Model: Seltec - CH
Diameter: 6 1/4" / 159mm
Groove: 1
Width: 1/2-3/4" variable
12 Volts
B Dimension: 1 7/8" / 47 mm

Single wire coil
Male bullet plug


75R1414
RD-5-9250-0P

OE # 2570149
Model: Seltec - CH
Diameter: 6 1/4" / 159mm
Groove: 1
Width: 1/2-3/4" variable
24 Volts
B Dimension: 1 7/8" / 47 mm

Single wire coil
Male bullet plug


75R1422
RD-5-9799-0P

OE # DKA7-11X
Model: Seltec - CH
Diameter: 6 1/4" / 159mm
Groove: 1
Width: 1/2-3/4" variable
12 Volts
B Dimension: 1 5/8" / 40 mm

Single wire coil
Male bullet plug


75R4782
RD-5-10301-0P


OE # 2570165
Model: ICE - TM31
Diameter: 6" / 152mm
Groove: 2
Width: 1/2
12 Volts
B Dimension: 3" / 76mm

Single wire coil
Male bullet plug


75R4792
RD-5-10302-0P

OE # 2570168
Model: ICE - TM31
Diameter: 6" / 152mm
Groove: Poly 8
Width: .14
12 Volts
B Dimension: 2 5/8" / 67mm

Single wire coil
Male bullet plug



ELECTRICAL SWITCHES


ELECTRICAL CONNECTOR ASSEMBLY KIT

Plugs for Compressor Clutches, Blower Motors, Switches, Relays, Heater A/C Units, Actuators and more!

79R3532

RD-5-11966-0P

Finally, a kit to fit that hard to find plug assembly with the right housing, terminal, seal, and lock that looks and fits like the sealed OE connector.



Here's what you get:

RED DOT ELECTRICAL CONNECTOR ASSEMBLY KIT							
RD-5-3992-0M Connector - Male Bullet Sealed 1 contact 14-16 Gauge SHOWN ACTUAL SIZE	RD-5-10424-0M Connector - Male Bullet Sealed 1 contact 12 gauge SHOWN ACTUAL SIZE	RD-5-3977-0M Receptacle - Spade Sealed 1 contact 14-16 gauge SHOWN ACTUAL SIZE	RD-5-5077-0M Seal - Blue Weatherpak, Metripak 12 gauge SHOWN ACTUAL SIZE	RD-5-6061-0M Lock Metripak TPA Blue SHOWN ACTUAL SIZE	RD-5-5077-0M Seal - Blue Weatherpak, Metripak 12 gauge SHOWN ACTUAL SIZE	RD-5-5077-0M Seal - Blue Weatherpak, Metripak 12 gauge SHOWN ACTUAL SIZE	RD-5-5077-0M Seal - Blue Weatherpak, Metripak 12 gauge SHOWN ACTUAL SIZE
RD-5-4438-0M Receptacle - Bullet Sealed 1 Contact 14-16 Gauge (0.156 dia.) SHOWN ACTUAL SIZE	RD-5-5746-0M Receptacle - Bullet Sealed 1 contact 12 Gauge (0.180 dia.) SHOWN ACTUAL SIZE	RD-5-3979-0M Connector - Male Spade Sealed 1 contact 14-16 gauge SHOWN ACTUAL SIZE	RD-5-5988-0M Seal - Gray Weatherpak, Metripak 14-18 gauge SHOWN ACTUAL SIZE	RD-5-8635-0M Lock Metripak TPA Valve, Paccor, Cose OEM Black SHOWN ACTUAL SIZE	RD-5-5076-0M Housing - Connector 2 Contact Female Weatherpak Tower SHOWN 60% OF ACTUAL SIZE	RD-5-5989-0M Housing - Connector 2 Contact Male Metripak 280 SHOWN 60% OF ACTUAL SIZE	RD-5-8778-0M Housing-Connector - 1 Contact Male Metripak 280 HD SHOWN 60% OF ACTUAL SIZE
RD-5-5074-0M Terminal - Male Weatherpak 280 4-pin with Blade End 14 gauge SHOWN ACTUAL SIZE	RD-5-5990-0M Terminal - Male Metripak 280 with Blade End 14 gauge SHOWN ACTUAL SIZE	RD-5-6191-0M Terminal - Male with Pin End 14-16 gauge SHOWN ACTUAL SIZE	RD-5-8231-0M Terminal - Male Metripak 280 with Flat Pin End 14 gauge SHOWN ACTUAL SIZE	RD-5-9081-0M Lock - Push-in HD Caterpillar OEM Green SHOWN ACTUAL SIZE	RD-5-5660-0M Housing - Connector Male Weatherpak HD Shroud, BNC SHOWN 60% OF ACTUAL SIZE	RD-5-6318-0M Housing - Connector Female Flat MicroPack 100 6 conductor SHOWN ACTUAL SIZE	RD-5-9080-0M Connector-Housing 2 Contact Female HD Caterpillar OE SHOWN 60% OF ACTUAL SIZE
RD-5-5078-0M Terminal - Female Weatherpak with Barrel End 14 gauge SHOWN ACTUAL SIZE	RD-5-5992-0M Terminal - Female 280 Series with Square End 14 gauge SHOWN ACTUAL SIZE	RD-5-6317-0M Terminal - Female Micro-Pack 100 1 contact SHOWN ACTUAL SIZE	RD-5-9017-0M Terminal - Female Metripak 280 with Square Tang 14 gauge SHOWN ACTUAL SIZE	RD-5-3975-0M Terminal - Female "56 Series" Spade Receptacle 14 gauge SHOWN ACTUAL SIZE	RD-5-5661-0M Housing - Connector 1 Contact Female Weatherpak Tower SHOWN 60% OF ACTUAL SIZE	RD-5-8591-0M Housing - Connector 3 Contact Male Weatherpak Shroud SHOWN 60% OF ACTUAL SIZE	RD-5-4693-0M Connector-Housing 5 Contact Male Spade Switch Body SHOWN 60% OF ACTUAL SIZE
CONNECTORS / RECEPTACLES	TERMINALS	SEALS	LOCKS	HOUSINGS			

Use the RD-numbers to order replacement parts. Login to www.rdot.com with your password. For additional Electrical Connector Assembly Kit order RD-5-11966-0P

ELECTRICAL CONNECTOR ASSEMBLY TOOL KIT

The perfect companion to Red Dot's Connector Assembly Kit, these are the only tools you'll need to assemble all of the connectors shown above.

79R3535

RD-5-12140-0P

RD-5-12137-

RD-5-12136-

RD-5-12134-

RD-5-12135-

RD-5-12138-

RD-5-12139-

COMPRESSOR CLUTCH CROSS REFERENCE

Air Source / MEI	Red Dot Number
5009*	75R0152
5009	75R1352
5011	75R0152
5011*	75R3002
5012	75R2552
5026*	75R1222
5028*	75R1402
5028	75R0602+
5029	75R0662
5030*	75R0612
5031	75R0302
5032	75R1342
5033	75R2402
5034	75R4352
5036	75R1652
5037	75R1802
5038	75R3602
5039	75R2552
5040	75R1502+
5041*	75R3452
5041	75R4502
5042*	75R3454
5042	75R4534
5043	75R4202+
5044	75R0452
5044	75R0422
5045	75R0754+
5045	75R4734
5046	75R1952+
5047	75R4052
5048	75R3902+
5049	75R3302
5050*	75R0262
5051*	75R0082
5053*	75R0072
5054	75R1422
5055	75R0222
5056	75R0182
5057	75R0202
5058	75R0204
5059	75R1402
5060	75R0042
5060	RD-5-9675-OP
5061	75R1872
5062	75R2702
5063	75R4652
5065**	75R0032
5066**	75R0202
5067	75R0052
5068	75R1862

Air Source / MEI	Red Dot Number
5072	75R4702
5073*	75R4712
5074	75R4722
5075	75R4732
5076	75R0172
5077	75R0274
5078*	75R4782
5079	75R4792
5080*	75R4742
5081*	75R4752
5082	75R4762
5096	75R3002
5097*	75R1222
5116	75R1832
5117*	75R1432
5118*	75R0032
5122	75R1432
5123*	75R1432
5125**	75R0402
5126	75R0502
5127	75R0512
5128	75R0682
5129	75R0522
5131	75R0402
5137**	75R1432
5138	75R1532
5139**	75R1542
5141	75R3502
5143	75R1222
5143*	RD-5-9652-OP
5144	75R1202
5145*	75R1302
5163	75R1532
5167	75R1832
5640	75R6040
Alliance	Red Dot Number
A22-10761	75R4652
A22-10795	75R4502
A22-11370-00	75R3602
A22-11670-00	75R3602
A22-11671	75R3002
A22-11671-00	75R3602
A22-22497	75R4352
A22-22498	75R4502
A22-22499	75R3002
A22-7555	75R4502
ABP N83 303001	RD-5-9660-OP
ABP N83 303002	75R1202+
ABP N83 303003	75R0194

Alliance	Red Dot Number
ABP N83 303007	75R0612
ABP N83 303011	75R3002
ABP N83 303012	75R4502
ABP N83 303012*	75R3452
ABP N83 303013	75R1842
ABP N83 303017	RD-5-9656-OP
ABP N83 303017	75R0662
ABP N83 303021	75R4652
ABP N83 303022	RD-5-9834-OP
ABP N83 303027	RD-5-9675-OP
ABP N83 303031	75R3902
ABP N83 303032	RD-5-9658-OP
ABP N83 303037	75R0042
ABP N83 303041	75R0152
ABP N83 303042*	75R4734
ABP N83 303051	75R0302
ABP N83 303052	75R0452
ABP N83 303061	75R1502+
ABP N83 303062	RD-5-9677-OP
ABP N83 303063*	75R1302
ABP N83 303071	75R1652
ABP N83 303072	RD-5-9661-OP
ABP N83 303081	75R2702
ABP N83 303082	75R1202
ABP N83 303087	75R1432
ABP N83 303091	75R2852+
ABP N83 303092	RD-5-9662-OP
ABP N83 303097*	75R0512
ABP N83 303101	75R3302
ABP N83 303102	75R3452
ABP N83 303107	75R0512
ABP N83 303111	75R1802
ABP N83 303112	RD-5-9663-OP
ABP N83 303113*	75R0502
ABP N83 303117*	75R0662
ABP N83 303121	75R1952+
ABP N83 303122	75R0202
ABP N83 303123	75R0682
ABP N83 303127*	75R0502
ABP N83 303127*	75R0522
ABP N83 303132*	75R1222
ABP N83 303132	RD-5-7667-OP
ABP N83 303142	75R1222
ABP N83 303151	75R2402
ABP N83 303152*	75R0222
ABP N83 303152	RD-5-9668-OP
ABP N83 303157	75R1432
ABP N83 303161*	75R1802
ABP N83 303161*	75R3302
ABP N83 303162	RD-5-9653-OP

Alliance	Red Dot Number
ABP N83 303167	75R0502
ABP N83 303171	75R3602
ABP N83 303177	75R0682
ABP N83 303181	75R4202+
ABP N83 303182	RD-5-9672-OP
ABP N83 303187	75R0522
ABP N83 303191	75R4352
ABP N83 303192	RD-5-9673-OP
ABP N83 303197	75R0032
ABP N83 303201	RD-5-9664-OP
ABP N83 303201	75R0302
ABP N83 303202	75R0222
ABP N83 303207	75R0052
ABP N83 303211	75R4052
ABP N83 303211	75R4352
ABP N83 303212	75R0754+
ABP N83 303221	75R0402
ABP N83 303231	75R4772
ABP N83 303232	75R0192
ABP N83 303241	RD-5-9669-OP
ABP N83 303251	RD-5-9670-OP
ABP N83 303252	75R0452
ABP N83 303252	75R1802+
ABP N83 303257*	75R0032
ABP N83 303261	75R0182
ABP N83 303262	75R1852
ABP N83 303271	RD-5-9654-OP
ABP N83 303281*	75R4732
ABP N83 303282	75R0202
ABP N83 303287	75R0512
ABP N83 303291	RD-5-7671-OP
ABP N83 303292	75R4534
ABP N83 303301	RD-5-9674-OP
ABP N83 303302	75R0204
ABP N83 303307**	75R0662
ABP N83 303311	75R3602
ABP N83 303322	75R1302
ABP N83 303332*	75R4712
ABP N83 303341	75R0302
ABP N83 303342	75R4534
ABP N83 303347	75R4792
ABP N83 303352	75R1522
ABP N83 303357	75R0062
ABP N83 303361	75R1872
ABP N83 303362	75R84712
ABP N83 303367	75R0082
ABP N83 303371	75R1412
ABP N83 303372	75R0242
ABP N83 303377	75R0092
ABP N83 303382*	75R1852

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand



COMPRESSOR CLUTCH CROSS REFERENCE

Alliance	Red Dot Number
ABP N83 303387	75R1842
ABP N83 303392	75R1852
ABP N83 303397	75R1862
ABP N83 303401	75R2552
ABP N83 303401	75R3902+
ABP N83 303402	75R1532
ABP N83 303407	75R1842
ABP N83 303411	75R1352+
ABP N83 303431	75R1342
ABP N83 303432	75R3502
ABP N83 303442	75R4782
ABP N83 303452	75R0252
ABP N83 303462	75R0262
ABP N83 303472	75R1212
ABP N83 303482	75R1832
ABP N83 303491	75R1402
ABP N83 303492	75R1852
ABP N83 303511	75R1404
ABP N83 303521*	75R0612
ABP N83 303531	75R0302
ABP N83 303532	75R0422
ABP N83 303542	75R1852
ABP N83 303552*	75R1852
ABP N83 303562	75R1532
ABP N83 303571	75R1422
ABP N83 303581	75R1872
ABP N83 303701	75R4722
ABP N83 303702	75R4712
ABP N83 303707	75R4702
ABP N83 303711	75R4732
ABP N83 303712	75R0172
ABP N83 303717	75R4742
ABP N83 303727	75R4752
ABP N83 303737	75R4762
CFC 024-21590	75R1202
CFC 024-21942	75R0302
CFC 024-25078*	75R0452
CFC 024-25078*	75R0512
CFC 024-25109*	75R4712
CFC 024-25144*	75R0512
CFC 024-25171*	75R0662
CFC 024-25171*	75R1402
CFC 024-25238*	75R1302
CFC 024-25241*	75R0502
CFC 024-25241*	75R0522
CFC 024-25244*	75R0502
CFC 024-25247	75R0682
03-1104968	75R3002
03-1104973	75R0452
03-1104978	75R2402

Alliance	Red Dot Number
03-1105003	75R4352
03-1105004	75R3902+
Allis Chalmers	Red Dot Number
024 21590	75R1202
1182664	75R3452
1182664	75R4502
1182664-1	75R3452
1182664-1	75R4502
1182664-4	75R3452
1182664-4	75R4502
71182664-4	75R3452
71182664-4	75R4502
2085169	75R0202
MA 6	75R0452
MA 6A*	75R0452
MA 6AX	75R0452
MAE 6AR	75R0452
Bergstrom	Red Dot Number
650481	75R4502
650482	75R0452
650482*	RD-5-9834-0P
650483**	75R1202
650484**	75R3002
650485	75R4652
650486	75R3902+
650487	75R0302
650488	75R1652
650489	75R2702
650491	75R2852+
650492	75R1802
650494	75R3602
650495	75R2402
650496	75R3452
650496*	75R4502
650497	75R4202+
650498	75R4352
650499*	75R0222
650499*	RD-5-9668-0P
650501	75R0182
650501*	RD-5-9669-0P
650502	75R1412
650502*	RD-5-9670-0P
650504	75R0222
650505	75R0182
650506	75R1422
650513	75R4534
650514*	75R4734
650515	75R0452

Bergstrom	Red Dot Number
650516*	RD-5-9660-0P
650517	RD-5-9677-0P
650519	RD-5-9663-0P
650524	75R4772
650525	75R0202
650526*	RD-5-9667-0P
650527*	RD-5-9662-0P
650528	75R0152
650529	75R1502+
650531	75R3302
650532*	75R2402
650532*	75R3302
650532	75R1952+
650533	75R2552
650533*	RD-5-9654-0P
650534	75R3602
650534	75R2102+
650535	75R2552
650535	75R3902+
650535*	75R4052
650536	75R1402
650536*	RD-5-9674-0P
650537	RD-5-9675-0P
650538*	RD-5-9672-0P
650539*	RD-5-9671-0P
650541*	RD-5-9673-0P
650542	RD-5-9664-0P
650543	75R0402
650544	75R1222
650544*	RD-5-9652-0P
650545*	75R0612
650546**	75R0662
650547	75R1342
650867*	75R0502
650867*	75R0522
650867*	75R4534
650868	75R1302
Case / IHC	Red Dot Number
A64956	75R4502
A66057	75R4502
A162008	75R4502
003-3938*	75R0422
003-4530	75R4502
6514-6210	75R0202
143405-C91	75R4502
Caterpillar	Red Dot Number
539296	75R0052
024 21590	75R1202

Caterpillar	Red Dot Number
MA 6	75R0452
MA 6A*	75R0452
MA 6AX	75R0452
MAE 6AR	75R0452
Climate Control	Red Dot Number
024 21590	75R1202
024 21942	75R0302
024 25078*	75R0452
024 25109*	75R4712
024 25144	75R0512
024 25171*	75R0662
024 25171*	75R1402
024 25238	75R1302
024 25241*	75R0502
024 25241	75R0522
024 25244*	75R0502
024 25247	75R0682
Climatech	Red Dot Number
KA1000	75R1202
KA1005	75R0302
KA1010	75R4652
KA1015	75R4202+
KA1020	75R2402
KA1025	75R0222
KA1030*	75R0222
KA1030*	RD-5-9668-0P
KA1035	75R3452
KA1040	75R0422
KA1040**	75R1202
KA1045**	75R3002
KA1055	75R0182
KA1060	75R3902+
KA1065	75R0182
KA1065*	RD-5-9669-0P
KA1070*	75R1422
KA1070*	RD-5-9654-0P
KA1080	75R1412
KA1080*	RD-5-9670-0P
KA1085	75R1652
KA1090	75R4502
KA1095	75R0302
KA1100	75R3302
KA1100*	75R2402
KA1100	75R1952+
KA1130	75R4352
KA1140	75R1802
KA1155	75R0042
KA1170	75R2552

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand

COMPRESSOR CLUTCH CROSS REFERENCE

Climatch	Red Dot Number
KA1170*	RD-5-9654-OP
KA1175*	75R1402
KA1175	75R0602+
KA1190	75R2102+
KA1190*	75R2552
KA1200	75R1402
KA1220	75R2702
KA1225	75R0162+
KA1270	75R1502+
KA1275	75R0754+
KA1280	75R2852+
KA1325	75R3602
KA1345*	75R0202
KA1350	75R0202
KA1360	75R0452
KA1365	75R0152
KA1375	75R4534
KA1395	75R0452
KA1400*	75R0502
KA1400*	75R0612
KA1405	75R0682
KA1410	75R0512
KA1415*	RD-5-9660-OP
KA1420	RD-5-9677-OP
KA1425*	RD-5-9662-OP
KA1430	75R0152
KA1435	75R3302
KA1440	75R2552
KA1445	75R3602
KA1445	75R2102+
KA1450	RD-5-9663-OP
KA1455	RD-5-9664-OP
KA1460	75R0402
KA1465	75R4772
KA1470*	RD-5-9667-OP
KA1475	75R1222
KA1480*	75R0612
KA1485**	75R0662
KA1490	75R1342
KA1495*	RD-5-9671-OP
KA1500*	RD-5-9672-OP
KA1505*	RD-5-9673-OP
KA1510	75R1402
KA1510	RD-5-9674-OP
KA1515	75R0042
KA1515	RD-5-9675-OP
KA1525	75R1302
KA1530**	75R0402
KA1535*	75R0502
KA1535*	75R0522

Climatch	Red Dot Number
KA1655*	75R4742
KA1660*	75R4752
KA1665*	75R4742
KA1675*	75R4752
KA1680*	75R4702
KC1010	75R4052
QB1265	75R5005
Cool Cab	Red Dot Number
941214	75R1352+
941225*	75R4702
941227	75R4722
941227*	75R4732
941245	75R4712
941264	75R1952+
941264*	75R2402
941269	75R4752
947253	75R1402
947273	75R4734
947274	75R0202
947278	75R0032
947281	75R0204
948212	75R0302
948223	75R4502
948224*	75R0452
948224*	75R1202
948226	75R0452
948227	75R4502
948227*	75R3452
948228	75R1952+
948228	75R2402
948229**	75R3002
948230	75R4352
948234	75R1802
948234	75R3602
948246	75R0452
948249	75R2552
948250	75R4652
948257	75R3302
948260*	75R0422
948260*	75R1222
948262	75R0302
948263	75R0602+
948264	75R3902+
948267	75R1502+
948277	75R4534
948435	75R0612
948436*	75R0662
948439	75R0402
948441	75R1202

Cool Cab	Red Dot Number
948442	75R3502
948446	75R1222
948447	75R1302
948448*	75R0502
948448*	75R0522
948449	75R0682
949216	75R0182
949217	75R1412
949247	75R4052
949243*	75R0222
949255	75R1412
949819	75R0222
Delco	Red Dot Number
15-4118	75R2402
15-4119	75R4352
15-4120	75R0452
15-4120*	75R1202
15-4122	75R4202
15-4124	75R1802
15-4125	75R2552
15-4148	75R4502
15-4148*	75R3452
15-4246	75R4652
15-4248	75R1502
15-4251	75R0302
15-4254	75R3002
Euclid	Red Dot Number
E-802144	75R4772
E-802145	75R0202
E-802159	75R1402
E-802160	75R0042
E-802249	RD-5-9655-OP
E-802252*	75R0222
E-802253	75R0222
E-802254	75R0182
E-802255	75R1412
E-802256	75R0232
E-802256*	75R0222
E-802500	75R4502
E-802501	75R0452
E-802501	75R1202
E-802502	75R4534
E-802503	75R0452
E-802507*	75R0452
E-802507*	75R1202
E-802508	75R3002
E-802511	75R4652
E-802512	75R3902+

Euclid	Red Dot Number
E-802512*	75R2552
E-802513	75R1352+
E-802514	75R1402
E-802515	75R0152
E-802515*	75R2402
E-802516	75R0302
E-802519	75R1502+
E-802519*	75R3302
E-802520	75R1652
E-802521	75R2702
E-802522	75R2852+
E-802523	75R3302
E-802524	75R1802
E-802524	75R3602
E-802525	75R1952+
E-802526	75R2552
E-802527	75R3902+
E-802527*	75R2552
E-802528	75R2402
E-802529	75R2552
E-802530	75R3452
E-802530**	75R4502
E-802530*	75R3502
E-802531	75R3602
E-802532	75R4202+
E-802533	75R4352
E-802535	RD-5-9663-OP
E-802536	RD-5-9664-OP
E-802536	75R0402
E-802537	75R0302
E-802539	75R0422
E-802542	75R4052
E-802543*	75R0302
E-802543	75R0402
E-802547*	75R3452
E-802548	75R1222
E-802557	75R0612
E-802558	75R0662
E-802561	75R4732
E-802562*	75R3452
E-802564	75R0452
E-802580	75R1502+
E-802591	75R3002
E-802592	75R4734
E-802593*	75R0612
E-802594	75R1202
E-802665	75R4732
E-802684	75R4712
E-802793	75R0202
E-803547	75R1222



Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand

COMPRESSOR CLUTCH CROSS REFERENCE

Everco	Red Dot Number
A74216	75R0182
A74217	75R1422
A7629	75R0204
A7656**	75R0032
A7682	75R2402
A7683*	75R0422
A7688**	75R3002
A7688	RD-5-9652-OP
A7690	75R0602+
A7691*	75R0302
A7691*	75R0402
A7692	75R1502+
A8463	75R0222
A8533*	75R0422
A8533	75R1202
A8534	75R4502
A8541	75R1352
A8564**	75R3002
A8567	75R1802
A8568*	75R2552
A8568*	75R4052
A8569	75R4652
A8573	75R4202+
A8574*	75R4352
A8574*	75R3302
A8575	75R0202
A8950	75R4702
904110	75R0202
904200**	75R0032
904200**	75R0042
904204	75R0202
904210	75R0204
904212	75R1402
904221*	75R4712
904227	75R4722
904229*	75R4702
904236*	75R0452
904236*	75R1202
904236*	75R0422
904239	75R4712
904239*	75R4782
904240	75R0222
904242	75R0182
904312	75R4052
904322*	75R1952+
904322*	75R2402
904322*	75R3302
904326	75R0452
904327	75R1202
904328	75R4734

Everco	Red Dot Number
904336	75R4502
904338*	75R4534
904340	75R0152
904342*	75R0072
904342	75R2852+
904346	75R0302
904354**	75R3002
904360	75R1652
904364*	75R1802
904364*	75R3602
904368	75R2552
904372	75R4652
904376	75R4202+
904380*	75R3302
904380*	75R4352
904384	75R0602+
904384	75R1402
904390	75R1502+
904408	75R0422
904408*	75R0452
904408*	75R1202
904412	75R3452
904413	75R3452
904413**	75R4502
904418	75R1352
904419	75R1952+
904720	75R5005

Fleetrite-IHC	Red Dot Number
(Also see Navistar-IHC)	
ZGG11044	75R1402
ZGG11207	75R0202
ZGG11209	75R1402
ZGG11526	75R1222
ZGG11529	75R1402
ZGG11548	75R1502+
ZGG11549	75R2702
ZGG11549	75R3602
ZGG11550	75R4202+
ZGG11551	75R2702
ZGG11552*	75R3002
ZGG11553	75R3002
ZGG11555*	75R3002
ZGG11555*	75R3302
ZGG11556	75R4352
ZGG11557	75R1802
ZGG11558*	75R2402
ZGG11558	75R3302
ZGG11559	75R2102+
ZGG11561*	75R2402

Fleetrite-IHC	Red Dot Number
ZGG11561*	75R3002
ZGG11562	75R2552
ZGG11564	75R4652
ZGG11565	75R3502
ZGG11566	75R0422
ZGG11566	75R1202
ZGG11567	75R3602
ZGG11572	75R3902+
ZGG12135	75R0452
ZGG12136	75R4502
ZGG12136*	75R3452
ZGG12140	75R0602+
ZGG12141*	75R0302
ZGG12141*	75R0402
ZGG12293	75R4052
ZGG13065	75R0222
ZGG13302	75R0202
ZGG14191	75R0402
ZGG16355	75R0182
ZGG16360	75R1412
ZGG16362	75R0202
ZGG18414*	75R0612
ZGG19310	75R0422
ZGG19310*	75R0682
ZGG19311	75R0302
ZGG19320	75R0512
ZGG19323*	75R0502
ZGG19323	75R0522
ZGG19776	75R1302
ZGG19841	75R0682
ZGG19845	75R1342
ZGG704000	75R0502
ZGG704000	75R0522
ZGG704001	75R0302
ZGG704002	75R0302
ZGG704003	75R1502+
ZGG704006	75R0042
ZGG704007	75R1412
ZGG704028	75R4742
ZGG704029	75R4752
ZGG704030	75R4742
ZGG704032	75R4752
ZGG704033	75R4702

Ford	Red Dot Number
C4TZ-2884-B	75R1802
C4TZ-2884-B	75R3602
C5TZ-2884-B	75R3602
C5TZ-2884-C	75R3002
C5TZ-2884-D	75R3602

Ford	Red Dot Number
C5UZ-2884-A*	75R3452
C5UZ-2884-A	75R4502
C7AZ-2884-B	75R0452
C7AZ-2884-B	75R1202
C8VY-2884-B	75R1502+
D1HZ-2884-B	75R1402
D1VY-19D653	75R0202
D2AZ-2884-A	75R0452
D2NN-19D649-A	75R4502
D4FZ-2884-A	75R0452
E3AZ-2A987-A	75R4732
E4HZ-2884-B	75R4712
E5LZ-19D784-A	75R3002
F4HZ-2884-B	75R4712
F4HZ-19D786-A	75R1432
F5VY-19D784-A	75R1222
F20H-19D786-AA	75R4742
FF-E4TH-BA1	75R4732

Four Seasons	Red Dot Number
47255	75R5005
47531	75R1202
47534	75R4502
47551	75R0452
47586	75R0202
47605*	75R0222
47811	75R0302
47842	75R4712
47873	75R2402
47900	75R0182
47901	75R1412
47903	75R0222
47904*	75R1412
47905	75R0402
47907	75R1202
47908	75R3502
47910	75R1222
47926	75R1302
47927*	75R0502
47927*	75R0522
47928	75R0682
47931	75R0302
47935*	75R0422
47935*	75R1222
47937	75R0452
47938	75R4534
47939	75R4734
47958	75R0602+
47959	75R0612
47960*	75R0662

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand

COMPRESSOR CLUTCH CROSS REFERENCE

Four Seasons	Red Dot Number
47962	75R1502+
47963	75R4052
47968	75R3002
47968	75R3302
47971	75R3602
47972	75R3302
47973	75R1652
47973	75R1802
47976	75R3902+
47977*	75R2402
47978	75R2552
47979	75R4502
47980	75R4202+
47985	75R4352
47994	75R4652
47996	75R0194
47998	75R1402

I.C.E.	Red Dot Number
2570144	75R0072
2570147	75R0182
2570148	75R1412
2570149	75R1414
2570150	75R0274
2570151	75R0172
2570152	75R0252
2570155	75R0082
2570157	75R0222
2570158	75R1212
2570159	75R0262
2570161	75R0092
2570162	75R0082

I.C.E.	Red Dot Number
2570165	75R4782
2570168	75R4792
2570201	75R0062
2570235*	75R0082
2570250*	75R0062

John Deere	Red Dot Number
6514-6210	75R0202
AH79301	75R0452
AH85846*	75R1202
AH85846*	75R4502
AH85847	75R4502
AH85864	75R0452
K332-14	75R1202
K332-15	75R4652
K332-41	75R4734

John Deere	Red Dot Number
K332-C23*	75R3452
K332-C23*	75R4502
K332-C32*	75R3452
K332-C32*	75R4502
K332-C36	75R4352

Kenworth	Red Dot Number
502393 OCC	75R3002
511051	75R0222
511575	75R0182
6504-6310	75R4502
6511-6010	75R4502
6512-6210	75R0052
6519-6010	75R0202
6522-6010	75R1862
K332-12	75R1802
K332-14*	75R1202
K332-14*	75R0452
K332-15	75R4652
K332-19	75R0452
K332-19**	75R1202
K332-21	75R4652
K332-23	75R3452
K332-23*	75R0452
K332-23*	75R4502
K332-24*	75R0452
K332-24**	75R1202
K332-25	75R4652
K332-26*	75R1202
K332-26	75R1802
K332-26*	75R2552
K332-27*	75R0452
K332-27*	75R1202
K332-28	75R3302
K332-28*	75R2402
K332-29	75R3452
K332-29*	75R4502
K332-31	75R4202+
K332-32	75R2552
K332-32*	75R4502
K332-36	75R3302
K332-36	75R3902+
K332-37	75R0452
K332-40	75R1652
K332-41	75R4734
K332-43	75R1802
K332-44	75R0452
K332-45	75R3002
K332-47	75R3302
K332-53	75R0402

Kenworth	Red Dot Number
K332-59-3	75R0512
K332-59-4	75R0682
K332-59-5	75R1302
K332-59-6	75R0402
K332-59-7*	75R0502
K332-59-7*	75R0522
K332-62-1	75R0422
K332-62-1**	75R1202
K332-62-2	75R0302
K332-B17	75R3602
K332-B19	75R0452
K332-B23	75R4502
K332-B25	75R0194
K332-B26	75R3602
K332-B27	75R0452
K332-B28	75R3002
K332-B32	75R2552
K332-C23*	75R3452
K332-C23*	75R4502
K332-C27	75R1202
K332-C28	75R3002
K332-C32	75R2552
K332-C36	75R4352
K332-D56-2*	75R0222
MA N03	75R0612
MA N05	75R0662

Kysor Old #	Red Dot Number
402038	75R3602
402042	75R2552
402046	75R1952+
402051	75R2702
402056	75R3902+
402067	75R1502+
402067*	75R3602
402095	75R3002
402098	75R3002
402100*	75R4742
402102*	75R4752
402103*	75R4742
402105*	75R4752
402106*	75R4702
402177*	RD-5-9660-0P
402178	RD-5-9663-0P
402180	RD-5-9664-0P
402181	75R0402
402183*	75R0612
402184	75R1342
402185*	75R0502
402185*	75R0522

Kysor Old #	Red Dot Number
402186	75R1302
402188	75R0682
402189**	75R0402
402400	75R0452
402400	75R1202
402411	75R1502+
402425	75R2552
402500	75R1202
402525	75R3902
402550*	75R0452
402554	75R1402
402560	75R3902+
402560*	75R2552
402587*	75R0502
402587*	75R0612
402601	75R0202
402602**	75R0194
402602	75R0204
402637	75R3002
402662	75R4652
402663*	75R1222
402665	75R0602+
402667*	75R0452
402669	75R1202
402721*	75R0452
402746*	75R0222
402748	75R1412
402748*	RD-5-9670-0P
402756	75R0182
402756*	RD-5-9669-0P
402773	75R1402
402774	75R1402
402774	RD-5-9674-0P
402775	75R0042
402775	RD-5-9675-0P
402897	75R0512
402900	75R1652
402901*	75R0502
402901	75R2402
402903	75R1502+
402904	75R3452
402905	75R4202+
402906	75R2702
402907	75R2852+
402908**	75R3002
402910	75R3302
402911	75R4352
402912	75R1802
402913	75R1952+
402913	75R3302

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand



COMPRESSOR CLUTCH CROSS REFERENCE

Kysor Old #	Red Dot Number
402914	75R2102+
402914*	75R2552
402915	75R0422
402915**	75R1202
402916	75R2552
402917	75R4502
402918*	75R0452
402918*	75R1202
402919	75R4652
402923	75R3902+
402924	75R1402
402926	75R4052
402927	75R0302
402927*	75R0402
402929	75R1502+
402939	75R0302
402941	75R4734
402945	75R3454
402945	75R4534
402952	75R3602
402955	75R0222
402956*	75R1422
402956*	RD-5-9654-OP
402958	75R1414
402960	75R0182
402966	75R0612
402967*	75R0662
405904	75R3452



Kysor New #	Red Dot Number
1310012	75R2402
1312001**	75R3002
1312002	75R0512
1312003*	75R0502
1312003	75R0522
1313001*	75R0612
1313002	75R1342
1313003	75R4352
1313005	75R0452
1313006	75R1222
1313007	75R0612
1313008**	75R0302
1313008**	75R0402
1314001**	75R0402
1399001	75R0222
1399002	75R0182
1399003	75R0422
1399003**	75R1202
1399004	75R3452
1399005	75R0302

Kysor New #	Red Dot Number
1399006*	75R0662
1399007	75R1302
1399008*	75R0502
1399008*	75R0612
1399009	75R0682
1399010	75R4202+
1399011*	RD-5-9660-OP
1399012	RD-5-9664-OP
1399013	75R0402
1399014	75R1412
1399014*	RD-5-9670-OP
1399015*	RD-5-9669-OP
1399016	75R1402
1399016	RD-5-9674-OP
1399017	75R1652
1399018	75R2402
1399019	75R1502+
1399020	75R2702
1399021	75R2852+
1399022	75R3002
1399022*	75R3302
1399023	75R1802
1399024	75R3302
1399025	75R2102+
1399025*	75R2552
1399026	75R2552
1399027	75R4652
1399029	75R3902+
1399030	75R1402
1399031	75R1502+
1399037*	75R1422
1399037*	RD-5-9654-OP
1399038	75R1414
1399042	75R0202
1399043**	75R0194
1399043	75R0204
1399044*	75R0222
1399044	RD-5-9668-OP
1399046	75R4502
1399048	75R4734
1399049	75R4534
1399051*	75R4742
1399052*	75R4752
1399053*	75R4742
1399055*	75R4752
1399056*	75R4702
1399059	75R0042
1399059	RD-5-9675-OP
1399060	75R4052
1399062	RD-5-9663-OP

Kysor New #	Red Dot Number
1399064	75R3002
1399068*	75R1532
1399083*	75R1404
1399086	75R4534

Mack	Red Dot Number
1MX240*	75R0422
1MX240*	75R0452
1MX240**	75R1202
1MX242*	75R0452
1MX242	75R1202
1MX246	75R3452
1MX246*	75R4502
1MX246*	75R3502
1MX41281	75R0302
1MXA246	75R0452
1MXA246*	75R1202
1MXA1230*	75R0452
1MXA1279	75R4652
1MXA1280	75R1202
1MXA1281*	75R3452
1MXA1281*	75R4502
1MXA19302	75R3902+
1MXA19302*	75R4352
1MXA243	75R2402
1MX2456	75R3902+
1MXA3217	75R1652
1MX3219	75R4202+
1MXA3219	75R4202+
1MX3268	75R4652
1MXA3268	75R4652
1MZA1281*	75R3452
1MZA1281*	75R4502
208-RD-31	75R1802
1406-31	75R4352
1406-41	75R4202+
1406-44	75R2552
1406-61	75R4352
1406-97	75R4652
1411-41	75R3452
1411-41*	75R4502
1411-61	75R4352
1411-72	75R4502
7979 402404	75R2402
7979 402412	75R3452
7979 402412	75R4502
7979 402499	75R4502
7979 402500	75R1202
6514-6210	75R0202
6565-6210	75R1402

Mack	Red Dot Number
6574-6210	75R0202
892880A	75R0072

Massey Ferguson	Red Dot Number
1032477M91	75R2402
1069215M91	75R0202
1070592M91	75R4502
D45054900	75R0452
250375-M91	75R3002
250375-M91*	75R3302
250950-M91*	75R4352
250959-M91*	75R4352
274363-M91	75R2552
470039-M91*	75R3452
470039-M91*	75R4502

Motivair	Red Dot Number
(ZGG Series also see Fleetrite - IHC)	
1-1044	75R1402
1-1209	75R1402
1-1525	75R1402
1-1525	75R3002
1-1526	75R1222
1-1529*	75R1402
1-1545	75R0152
1-1548	75R1502+
1-1549	75R1652
1-1550	75R4202+
1-1551	75R2702
1-1552	75R2852+
1-1553	75R3002
1-1554	75R3602
1-1555	75R3302
1-1556	75R3452
1-1556	75R4352
1-1557	75R1802
1-1558	75R1952+
1-1559	75R2552
1-1561	75R2402
1-1562	75R2552
1-1564	75R4652
1-1565*	75R1202
1-1565*	75R3452
1-1566*	75R0452
1-1566	75R1202
1-1567	75R3602
1-1570	75R4502
1-1572	75R3902+
1-2135	75R0452
1-2135*	75R1202

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand

COMPRESSOR CLUTCH CROSS REFERENCE

Motivair	Red Dot Number
1-2136*	75R3452
1-2136	75R4502
1-2140	75R1402
1-2141	75R0302
1-2160*	75R4534
1-2161	75R4734
1-2293	75R4052
1-3065	75R0222
1-3302	75R0202
1-3304	75R4734
1-3330	75R0602+
1-5929	75R4502
1-6354	75R0222
1-6355	75R0182
1-6356	75R0222
1-6357	75R0182
1-6362	75R0202
1-6363	75R1402
1-6538	75R4702
1-6539	75R4722
1-6540	75R4732
1-8414	75R0612
Motorcraft	Red Dot Number
YB-89	75R1402
YB-138	75R2402
YB-139	75R4352
YB-140	75R0452
YB-140	75R1202
YB-142	75R4202+
YB-144	75R1802
YB-145	75R2552
YB-147	75R4732
YB-148	75R0452
YB-149	75R4502
YB-213	75R1502+
YB-317A	75R3002
YB-492	75R1432
YB-521	75R1222
Murray	Red Dot Number
273239	75R4732
274223	75R4502
274224	75R0452
274226	75R1202
274227	75R3452
274228	75R1952
274228	75R2402
274229	75R3002
274230	75R3302

Murray	Red Dot Number
274230	75R3452
274234	75R1802
274245	75R4202
274247	75R2552
274257	75R1502
274262	75R0302
274264	75R4052
Navistar (IHC)	Red Dot Number
1140568-C91	75R4534
111631-C91*	75R3452
111631-C91*	75R4502
143405-C91	75R4502
1647566C91	75R0452
1647566C91**	75R1202
165129C91	75R0452
165129C91*	75R1202
165338C91	75R0452
1653480C91	75R0302
1653480C92	75R0402
1653480C92*	75R1202
1669745C91	75R1222
1669746C91*	75R3452
1669746C91**	75R3502
1676647C91	75R0422
1676647C91**	75R1202
1676659C91	75R4652
1676660C91**	75R3002
1687780C91	75R0612
1687780C92*	75R0512
1687801-C91	75R4502
1687819-C91	75R1202
1691736C1	75R0182
1691737C1*	75R0222
1818128C1	75R0662
1818128C2**	75R0662
2016403C2*	75R0402
2016403C2	75R1342
393577C91	75R3602
393578C91	75R3602
393580C91	75R3002
393582C91	75R3602
393681C91	75R4752
395083C91	75R3002
395087C91	75R4352
400728C91	75R1222
416095C91	75R1222
4205450C92	75R0302
425450C92	75R3502
434668C91	75R0302

Navistar (IHC)	Red Dot Number
481800C91**	75R0302
481800C91**	75R0402
481802C91	75R3002
481803C91*	75R1802
481803C91*	75R3602
481804C91*	75R1202
481804C91*	75R3602
481805C91*	75R1222
481806C91	75R3452
481806C91*	75R3502
481807C91	75R0302
481808C91*	75R3502
481808C91	75R3902+
4818100C91	75R0402
4818103C91	75R3602
4818106C91	75R3502
482808C91	75R0452
576625C91	75R0202
6504-6310	75R4502
6514-6210	75R0202
653480C91*	75R0302
653480C91*	75R0402
653480C91*	75R1402
Ogura	Red Dot Number
332334	75R4502
332639*	75R0452
332639*	RD-5-9834-OP
501075	75R4534
501076	75R4734
501215	75R0452
501280	RD-5-9660-OP
501316	RD-5-9667-OP
501939	75R1202
502393	75R3002
502396*	RD-5-9662-OP
502400	75R4652
502401	75R3902+
502406	75R1402
502408	75R0152
502409	75R0302
502730	75R1502+
502731	75R1652
502732	75R2702
502733	75R2852+
502735	75R3302
502736	75R1802
502737*	75R3302
502737	75R1952+
502740	75R2402

Ogura	Red Dot Number
502741	75R2552
502742	75R3452
502743	75R3602
502744	75R4202+
502745	75R4352
503272	RD-5-9663-OP
503887	RD-5-9664-OP
506079	75R4534
506121	75R0754+
507783	75R1202
508821	75R4052
508888	75R0402
508995	75R4772
509285	75R0202
509286*	RD-5-9667-OP
511199	75R3502
511204	75R1222
511487*	75R0222
511487	RD-5-9668-OP
511488*	RD-5-9669-OP
511489*	RD-5-9670-OP
511869	75R0182
511870*	75R1422
513352	75R0612
513774*	75R0452
513774*	75R1202
515376	75R0662
515378	75R0662
515528	75R1342
515528*	75R4732
515825	75R4732
516466	RD-5-9671-OP
516947*	RD-5-9672-OP
516952*	RD-5-9673-OP
517458	RD-5-9674-OP
517721	RD-5-9675-OP
518199	75R0222
518484	75R4732
518521	75R0452
520226	75R0612
520566	75R1302
520636*	75R0522
522582	75R1302
522583	75R0522
522583*	75R0502
522584	75R0682
CH 4.9A1G	75R0182
CH 5 1/4A2G	75R0222
CH VG*	75R1422
CHRA 01	RD-5-9672-OP

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand



COMPRESSOR CLUTCH CROSS REFERENCE

Ogura	Red Dot Number
CHRA 03	RD-5-9671-OP
CHRA 04	RD-5-9673-OP
DKA3 23X*	RD-5-9669-OP
DKA3 37X	RD-5-9670-OP
DKA7 11X	75R1422
L50-2393	75R3002
L50-2396	RD-5-9662-OP
L50-2400	75R4652
L50-2401	75R3902+
L50-2408	75R0152
L50-2409	75R0302
L50-2730	75R1502
L50-2731	75R1652
L50-2732	75R2702
L50-2733	75R2852+
L50-2735	75R3302
L50-2736	75R1802
L50-2737	75R1952
L50-2740	75R2402
L50-2741	75R2552
L50-2742	75R3452
L50-2743	75R3602
L50-2744	75R4202
L50-2745	75R4352
L50-8821	75R4052
MA 5 1/2A1G	75R4722
MA 5 7/8M	RD-5-9667-OP
MA 6 3/4ASX	RD-5-9660-OP
MA 6A*	75R0452
MA 6A*	RD-5-9834-OP
MA 6A-2	75R4734
MA 6A 24V	75R4734
MA 6AX	75R0452
MA 7A	75R4502
MA 7A 24V	75R4534
MA 8A	75R0452
MA 8A	RD-5-9834-OP
MA 69CCI	75R1302
MA M11	RD-5-9664-OP
MA M13	75R0402
MA N01	75R3502
MA N02	75R1222
MA N03	75R0612
MA N05	75R0662
MA N06	75R4732
MA N06D	75R1342
MADGB17X 12V	RD-5-9668-OP
MAE 06A	75R1302
MAE 6AR	75R1202
MAE MG01	75R0682

Ogura	Red Dot Number
MAE MG07	75R0522
MAE MG07*	75R0502
MA-N03AM	75R0452
MA-N03D	75R0612
MAW 5A	RD-5-9663-OP
MS 5MG01E	RD-5-9625-OP
MS 5-1/4 VG	RD-5-9674-OP
MS 5-1/4A2G	75R0202
MS 5-1/4MG01EX	RD-5-9675-OP
MS 5-1/2A 10	75R4772
MS 6A 2G	RD-5-9667-OP
Peterbilt	Red Dot Number
11-02441	75R2402
18-01209	75R4202+
18-01210	75R0452
18-01212	75R1802
18-01213	75R4352
18-01214	75R4652
18-01222*	75R0452
18-01733	75R3902
18-01822	75R2402
18-01843	75R1652
18-01866*	75R3452
18-01866*	75R4502
18-02113	75R4352
18-02434	75R4652
18-02441	75R2552
18-02441*	75R2402
18-02569	75R4202
18-02570*	75R1802
18-02570	75R3602
18-02572	75R1202
18-02572	75R0452
18-02573	75R3002
Pitts	Red Dot Number
7531	75R1202
7551*	75R0452
7551*	75R1202
7873	75R2402
10581	75R1502+
10582	75R1652
10583	75R4202
10585	75R2852+
10586	75R3002
10590	75R4352
10591	75R1802
10592	75R1952
10595	75R2402

Pitts	Red Dot Number
10596	75R2552
10761	75R4652
10795*	75R3452
11153	75R3452
11212	75R4534
11947	75R4052
14190	75R0302
14192	75R1202
14193	75R3502
14195	75R0662
14216	75R1222
14262	75R0302
14304	75R0512
14533*	75R0402
Sanden	Red Dot Number
4417-9931	75R1842
4424-9931	75R1532
4426-9931	75R1532*
4428-9931	75R1852
4603-6871**	75R1852
4606-6871	75R1842
4611-9931	75R0194
4626-9931	75R0194
4645-9931	75R0052
4667-9931	75R1842
4694-9931	75R1852
4695-9931*	75R1532
4700-9931	75R4802
4704-9930	75R1542
4705-9930	75R1842
4705-9931	75R1842
4734-6010*	75R1432
4734-6880**	75R1432
4734-9931	75R1842
4740-9931	75R1532
4752-9931	75R1852
4756-9931	75R4802
4819-9931	75R1532
4895-9931	75R4802
4896-9931*	75R1852
6504-6010	75R1542
6504-6010**	75R1832
6504-6010**	75R1852
6506-6010	75R1512
6511-6110	75R0192
6511-6310	75R0194
6512-6210	75R0052
6514-6210	75R0202
6519-6010	75R0202

Sanden	Red Dot Number
6519-6210	75R0204
6520-6010	75R0042
6521-6010	75R1402
6521-6210	75R1404
6522-6010	75R1862
6524-6010	75R0032
6560-6010	75R0192
6563-6010	75R0042
6565-6210	75R1402
6574-6210	75R0202
6575-6310	75R0202
6577-6210	75R0204
6593-6010	75R1432
6594-6010	75R1832
7730-9930	75R1432
8398-6230	75R0202
8515-6410	75R0202
8515-6411	75R0202
8517-6010	75R0202
8517-6014	75R0202
8527-6410	75R0204
8536-6410	75R0204
8536-6411	75R0204
8545-6011	75R1872
8545-6310	75R1872
9033-9900	75R1862
9313-6010	RD-5-9674-OP
9326-6010	75R0042
9326-6010	RD-5-9675-OP
9353-6010	75R0192
9425-6010	75R0032
9425-6210	75R0032
9463-6010	75R0042
Seltec	Red Dot Number
324-19721*	75R0222
524-19718	75R0182
524-19721	75R1412
524-19724	75R0222
624-19709	75R0072
624-19718	75R0182
624-19719	75R1412
624-19720	75R1414
624-19723	75R0274
624-19724	75R0172
624-19725	75R0252
624-19736	75R0222
624-19740	75R1212
624-19749	75R0262
624-19751	75R0092

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand

COMPRESSOR CLUTCH CROSS REFERENCE

Seltec	Red Dot Number
624-19732	75R0082
Truck Air	Red Dot Number
02-0200	75R0202
02-0401*	75R0152
02-0401	75R1352
02-0404	75R4732
02-0412*	75R4712
02-0416*	75R4702
02-0420*	75R4742
02-0421*	75R4752
02-0422	75R4732
02-0426	75R4762
02-0427	75R4722
02-0429*	75R4722
02-0431**	75R1832
02-0431**	75R1852
02-0602*	75R1532
02-0800*	75R1402
02-0802	75R0402
02-0803*	75R1222
02-0804*	75R0512
02-0804*	75R0612
02-0805	75R0662
02-0806	75R1342
02-1002*	75R1532
02-1600	75R2552
02-1602	75R1832
02-1604	75R1832
02-1605	75R4052
02-2034	75R0182
02-2034	75R0182
02-3000*	75R4502
02-3001	75R0452
02-3002	75R1202
02-3003	75R3502
02-3004	75R2402
02-3005	75R3002
02-3006	75R4352
02-3007	75R1652
02-3008	75R2852+
02-3009	75R1802
02-3010	75R4202+
02-3011	75R1952
02-3012	75R2552
02-3014	75R3602
02-3015	75R4652
02-3017	75R3902+
02-3021	75R1502+
02-3024	75R1222

Truck Air	Red Dot Number
02-3025	75R2552
02-3026	75R0302
02-3027	75R0602+
02-3032	75R2702
02-3032*	75R2852+
02-3033	75R3302
02-3034	75R0172
02-3036	75R0222
02-3039	75R0182
02-3041	75R1422
02-3044	75R0222
02-3047	75R0274
02-3048*	75R0172
02-3050	75R4534
02-3051	75R0754+
02-3052	75R0754+
02-3058*	75R0082
02-3060*	75R4732
02-3063	75R0192
02-3064	75R0202
02-3065	75R0202
02-3067	75R0204
02-3078	75R0042
02-3079	75R0042
02-3088	75R1402
02-3402	75R1202
02-3412	75R1302
02-3416*	75R0502
02-3416*	75R0522
02-3418	75R0682
02-3419	75R0512
02-3420*	75R0502
02-3426	75R0302
02-3427	75R0402
02-3438	75R4792
02-3440*	75R0262
02-3464	75R4502
02-3469	75R1402
02-3470	75R0204
Volvo White/ Western Star	Red Dot Number
176312	75R4772
176313	75R0202
176314	75R3302
176318	75R2552
176319	75R3602
176320	RD-5-9675-0P
176322	RD-5-9664-0P
176326	75R0662
176327	75R0662

Volvo White/ Western Star	Red Dot Number
176328	75R4652
176329	75R2402
176330	75R3452
176331	75R4202
176332	75R1952
176455	75R4502
176456	75R3902
176457	75R2702
176459	75R1802
176461	75R4352
176462	75R0222
176464	75R1412
176465	75R0222
176466	75R0182
176467	75R1422
176468	75R4534
176470	75R0452
176472	RD-5-9677-0P
527656	75R2552
1763144	75R0204
3093417	75R0522
3093418	75R1302
3093420	75R1302
3949292	75R1202
3949293	75R0402
3949294	75R1222
3949295	75R0612
3949296	75R4732
3949300	75R1342
3949312	75R1202
3949313	75R0302
30932420	75R1302
85106850	75R4052
02-7001224	75R1802
02-7001224	75R3602
02-7008314	75R3602
02-7010496	75R1652
02-7069618	75R2552
02-7074272	75R4502
02-7074278	75R3902+
02-7074278*	75R2552
02-7074278*	75R4052
02-7074721	75R3602
02-7076135	75R1502+
02-7089233	75R4502
02-7104445	75R1202
02-7135903	75R2402
20822-5032	75R2852+
30-3032345	75R1202
30-3353680	75R1202

Volvo White/ Western Star	Red Dot Number
31160-7760*	75R3452
31160-7760*	75R4502
31181-2664-1	75R4502
524-19724	75R0222
61003-0004	75R2552
61103-0002	75R3302
61103-0004	75R4052
61103-0017	75R0452
61103-0019	75R1202
61103-0019*	75R0452
61103-0020	75R0452
61103-0024	75R0452
61103-0025	75R3902+
61103-0025*	75R2552
61103-0025*	75R4052
61103-0044	75R1502+
61103-0050	75R3902+
61103-3606	75R4502
61103-5002	75R0452
61103-5005	75R3902+
61103-5007	75R1402
61103-5502	75R0452
61103-5505	75R3902+
61103-5507	75R1402
891422B	75R2402
892881A	75R3902+
892881A*	75R2552
892881A*	75R4052
892882A	75R0202
A01-22964	75R1202
V1110151	75R1402
V1110272	75R0202
V1110306	75R0452
V1110306	75R1202
V8889022	75R3002
Warner	Red Dot Number
1406-19	75R2402
1406-20	75R4352
1406-21	75R0452
1406-32	75R1952+
1406-33	75R3302
1406-34	75R1652
1406-37	75R3902+
1406-39	75R1502+
1406-41	75R4202+
1406-43	75R1802
1406-44	75R2552
1406-45	75R2852+
1406-46	75R2552

Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand



COMPRESSOR CLUTCH CROSS REFERENCE

Warner	Red Dot Number
1406-49	75R3602
1406-70	75R1352
1406-97	75R4652
1411-15	75R4502
1411-36	75R0302
1411-41	75R3452
1411-49	75R4052

Warner	Red Dot Number
1411-50	75R0754+
1411-61	75R4352
1411-67	75R0452
1411-70	75R3002
1411-72*	75R3452
1411-72	75R4502
1413-88	75R4732

Warner	Red Dot Number
1413-89	75R4722
1413-99	75R4702
1416-17	75R4742
1416-18	75R4752
1436-2*	75R3452
1436-2	75R4502
1436-87	75R3902+

Warner	Red Dot Number
1466-15	75R3902+
1466-22	75R3452
1466-35	75R0302
1466-70	75R0602+
1466-72	75R1502+
1473-6	75R4712




Cross References are for reference only. Check manufacturer specifications/applications prior to installation

* Check specifications, may not be an exact interchange

** Check plug connection, plugs available per Red Dot Electrical Connector Assembly Kit, Part No. 79R3532.

+ LS, Limited to stock on hand


COMPRESSOR TROUBLESHOOTING GUIDE





IDENTIFYING SANDEN COMPRESSORS

The metal nameplate located at the top front of the compressor serves as a means of identification. There are also numbers stamped on the mounting ears that indicate manufacturing dates.

Data inscribed on the nameplate includes the serial number, combination model/part number and the date of manufacture.






SANDEN COMPRESSORS NOMENCLATURE



SANDEN COMPRESSORS

SD508




Bore	1.378 in. (35mm)
Stroke	1.13 in. (28mm)
Displacement per Revolution	8.42 cu. in. (138cc)
Number of Cylinders	5
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	5,000
Refrigerant	R-12
Oil (SUNISO 5GS)	7 fl. oz. (207cc)
Weight	11.24 lbs (5.1 kg)
Rotation	Clockwise



NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.

SD5H09

Bore	1.38 in. (35mm)
Stroke	0.71 in. (18mm)
Displacement per Revolution	5.3 cu. in. (87cc)
Number of Cylinders	5
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	7,500
Refrigerant	134A
Oil (PAG)*	3.5 fl. oz. (100cc)
Rotation	Clockwise



NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.





75R SERIES

SANDEN COMPRESSORS

SD510

Bore	1.417 in. (36mm)
Stroke	1.25 in. (31.7mm)
Displacement per Revolution	9.82 cu. in. (161cc)
Number of Cylinders	5
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	5,000
Refrigerant	R-12
Oil (SUNISO 5GS)	7 fl. oz. (207cc)
Weight	11.24 lbs (5.1 kg)
Rotation	Clockwise






Mounting options up to 90° from vertical.

NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.



SD5H14

Bore	1.378 in. (35mm)
Stroke	1.13 in. (28mm)
Displacement per Revolution	8.42 cu. in. (138cc)
Number of Cylinders	5
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	5,000
Refrigerant	R 134A
Oil (PAG)	7 fl. oz. (207cc)
Weight	11.24 lbs (5.1 kg)
Rotation	Clockwise



Mounting options up to 90° from vertical.




NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.



SANDEN COMPRESSORS

SD709 & SD7H15

Bore	1.153 in. 29mm
Stroke	1.29 in. 33mm
Displacement per Revolution	9.5 cu. in. 155cc
Number of Cylinders	7
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	R-12 / 134A
Oil (SUNISO 5GS / SP15)	4.6 fl. oz. (135cc)
Weight	16.4 LB. 7.4 kg.
Rotation	Clockwise



NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.



SANDEN'S NEW, FLEXIBLE COMPRESSOR SERIES – FLX7

**FLX7 Features and Benefits**

- The FLX7 utilizes interchangeable parts to increase flexibility and adaptability to a variety of vehicle applications. FLX7 compressors come standard with enhanced features previously found only on premium compressors. Features and benefits include:
- A variety of clutch rotor configurations: single, double, sealed heavy-duty and multi-groove rotors are available in 12 and 24 volt options.
- Each FLX7 comes with both a bullet and a sealed Packard clutch lead wire terminal for application flexibility.
- For protection, every FLX7 comes equipped with a pressure relief valve to guard against abnormal pressure conditions. A field coil diode is also included to prevent electrical damage caused by voltage surges.
- The FLX7 uses a standard GM pad-style cylinder head which receives a variety of port fittings ready to accommodate vertical and horizontal hose attachment. The port fittings are sold separately from the compressor, allowing the user to adapt a single compressor to fit many applications.



- Each port fitting is made of forged steel for superior strength vs. cast iron fittings. The fittings have threaded ports ready to receive an R12 or R134a charging valve.
- FLX7 models come with mineral oil for use with R12 systems or Pag oil for use with R134a systems, eliminating the need for retrofitting.


SD7H15 Durability

- The FLX7 starts with the same SD7H15 compressor known throughout the automotive industry for its performance and durability.
- Seven cylinders for reduced operating pulsations, reduced noise and improved performance.
- Available in ear mount or direct mount configurations for flexibility and adaptability over a broad range of applications.
- Superior lubricating system for increased durability and high temperature performance.

- Heavy-duty bearing to handle higher pressures and loads.
- Shaft seal for greater leak protection and durability.

Typical Applications

- FLX7 are designed for use with:
- Light Passenger Vehicles
- Medium Duty and Heavy Trucks
- Construction Vehicles
- Agricultural Vehicles
- Passenger Buses






SANDEN COMPRESSORS

FLX7



Bore	1.153 in. (29mm)
Stroke	1.29 in. (33mm)
Displacement per Revolution	9.5 cu. in. (155cc)
Number of Cylinders	7
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	R 134A
Oil (SP15)	6.75 fl. oz. (200cc)
Weight	16.4 lbs (7.4 kg)
Rotation	Clockwise



NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.

SANDEN FLX-7 REAR PORT FITTING ADAPTERS

Compressor heads shown for reference only

75R89305
RD-5-10880-0P

Horizontal O-Ring
3/4" X 7/8"


75R89310
RD-5-10881-0P

Vertical O-Ring
3/4" X 7/8"


75R89315
RD-5-10882-0P

Vertical O-Ring
1" X 14


75R89320
RD-5-10883-0P

Vertical Flare
3/4" X 7/8"


75R89325
RD-5-10884-0P

Horizontal O-Ring
1" X 14



FLX 7 WIRE ADAPTER

Red Dot No.

Factory No..

Description

75R89327

RD 5-11007-0P

Converts Single Wire to Dual Wire



FLX7 REPLACEMENT PARTS

Sanden Part No.	FLX7 Replacement	Head Adapter
4419	75R89462	N/A
4420	75R89302	N/A
4428	75R89462	75R89305
4434	75R89422	N/A
4435	75R89424	75R89310
4447	75R89292	75R89315
4448	75R89394	N/A
4501	75R89384	75R89315
4502	75R89382	75R89315
4506	75R89424	75R89310
4507	75R89424	75R89310
4508	75R89392	75R89310
4509	75R89422	75R89310
4510	75R89422	75R89310
4511	75R89372	75R89315
4513	75R89422	75R89325
4514	75R89352	75R89310
4515	75R89372	75R89310
4516	75R89374	75R89310
4518	75R89344	75R89325
4519	75R89414	GM PAD
4521	75R89424	75R89325
4522	75R89352	75R89325
4523	75R89352	75R89325
4525	75R89422	75R89315
4526	75R89392	75R89325
4527	75R89424	75R89315
4529	75R89422	75R89315
4532	75R89484	75R89310
4536	75R89422	75R89305
4537	75R89424	75R89305
4600	75R89434	75R89310
4626	75R89462	75R89310
4627	75R89312	75R89310
4637	75R89434	75R89305
4638	75R89352	75R89325
4641	75R89302	75R89325
4643	75R89422	75R89315
4646	75R89422	75R89325
4647	75R89422	75R89310
4652	75R89334	75R89310
4661	75R89472	75R89305
4663	75R89312	75R89310

Sanden Part No.	FLX7 Replacement	Head Adapter
4664	75R89422	75R89310
4665	75R89352	75R89310
4666	75R89302	75R89305
4706	75R89312	75R89315
4707	75R89352	N/A
4708	75R89312	N/A
4709	75R89312	75R89305
4710	75R89352	75R89315
4711	75R89352	75R89310
4712	75R89352	75R89305
4741	75R89334	75R89310
4742	75R89334	75R89305
4743	75R89334	75R89315
4744	75R89334	75R89325
4745	75R89374	75R89310
4746	75R89372	75R89310
4747	75R89372	75R89315
4762	75R89354	75R89315
4763	75R89354	75R89315
4764	75R89354	75R89325
4765	75R89354	75R89305
4779	75R89312	75R89310
4860	75R89312	N/A
4861	75R89322	75R89315
4862	75R89334	N/A
4863	75R89344	75R89325
4864	75R89352	N/A
4865	75R89362	75R89315
4866	75R89354	N/A
4867	75R89364	N/A
4868	75R89372	N/A
4869	75R89382	75R89310
4870	75R89374	N/A
4871	75R89384	75R89315
4872	75R89392	N/A
4873	75R89332	N/A
4874	75R89434	N/A
4876	75R89412	N/A
4877	75R89474	N/A
4878	75R89414	GM PAD
4881	75R89484	N/A
4882	75R89312	75R89320
5407	75R89344	75R89310

Sanden Part No.	FLX7 Replacement	Head Adapter
5407	75R89394	75R89310
5411	75R89332	75R89325
5413	75R89344	75R89310
5413	75R89394	75R89310
5415	75R89332	75R89310
5425	75R89382	75R89310
5754	75R89414	GM PAD
6626	75R89422	75R89310
6627	75R89424	75R89310
6629	75R89352	75R89310
6630	75R89422	75R89305
6631	75R89422	75R89325
6632	75R89424	75R89325
6634	75R89424	75R89305
6642	75R89422	75R89315
6655	75R89352	75R89325
6656	75R89392	75R89310
6664	75R89422	75R89310
6665	75R89424	75R89310
6667	75R89424	75R89315
6667	75R89424	75R89325
6670	75R89392	75R89325
6671	75R89372	75R89315
6672	75R89374	75R89310
6673	75R89372	75R89310
6675	75R89352	75R89325
6676	75R89422	75R89305
6677	75R89422	N/A
6678	75R89422	N/A
6679	75R89484	75R89310
6680	75R89424	75R89305
7401	75R89322	75R89315
7402	75R89322	75R89325
7409	75R89322	75R89310
7427	75R89362	75R89315
7492	75R89362	75R89310
7819	75R89312	75R89325
7822	75R89352	75R89325
8103	75R89352	75R89310
8104	75R89422	75R89310
8390	75R89292	75R89320
8396	75R89312	75R89320
8399	75R89344	75R89320

Sanden Part No.	FLX7 Replacement	Head Adapter
8399	75R89394	75R89320
9005	75R89292	75R89315
9026	75R89292	75R89325
9040	75R89292	75R89310
9103	75R89292	75R89320
9105	75R89344	75R89320
9105	75R89394	75R89320
9114	75R89292	75R89315
9119	75R89382	75R89315
9120	75R89292	75R89310
9122	75R89384	75R89315
9125	75R89292	75R89325
9133	75R89344	75R89325
9133	75R89394	75R89325
9137	75R89344	75R89315
9137	75R89394	75R89315
9143	75R89344	75R89310
9143	75R89394	75R89310
9263	75R89292	75R89315
9264	75R89292	75R89325
9265	75R89344	75R89325
9265	75R89394	75R89325
9283	75R89362	75R89320
9285	75R89292	75R89310
9505	75R89344	75R89315
9505	75R89394	75R89315
9513	75R89332	75R89320
9515	75R89292	75R89310
9519	75R89292	75R89315
9537	75R89362	75R89310
9540	75R89362	75R89325
9546	75R89362	75R89315
9563	75R89292	N/A
9565	75R89362	75R89320
9570	75R89362	75R89325
9663	75R89362	75R89310
9674	75R89344	75R89310
9674	75R89394	75R89310
9675	75R89382	75R89310
9676	75R89384	75R89310
9684	75R89414	N/A
9689	75R89292	N/A




SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only


TYPE B

Vertical Flare $\frac{3}{4}$ " x $\frac{7}{8}$ "




TYPE CBA

Vertical Tube-O 1 x 14




TYPE FL

Vertical O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "




TYPE GSA

Vertical Pad $\frac{3}{4}$ " x $\frac{7}{8}$ "




TYPE C

Vertical Tube-O 1 x 14



TYPE FC

Vertical O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "



TYPE GH

Horizontal Pad $\frac{3}{4}$ " x $\frac{7}{8}$ "




TYPE GQ

Lateral Pad $\frac{3}{4}$ " x $\frac{7}{8}$ "



TYPE CB

Vertical Tube-O 1 x 14



TYPE FG

Vertical O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "



TYPE GK

Horizontal Pad
With Pressure Relief Valve





TYPE GV

Horizontal Pad $\frac{3}{4}$ " x $\frac{7}{8}$ "
With Pressure Relief Valve




SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only

TYPE GWAHorizontal Pad $\frac{3}{4}$ " x $\frac{7}{8}$ "
With Pressure Relief Valve**TYPE K**Horizontal O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "**TYPE KG**Horizontal O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "
With Pressure Relief Valve**TYPE MDA**Horizontal Tube "O" – 1 x 14
With Pressure Relief Valve**TYPE JD**Vertical O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "**TYPE KC**Horizontal O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "**TYPE M**

Horizontal Tube-O 1 x 14

**TYPE MJ**Horizontal Tube "O" – 1 x 14
With Pressure Relief Valve**TYPE JDA**Vertical O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "
With Pressure Relief Valve**TYPE KCA**Horizontal O-Ring $\frac{3}{4}$ " x $\frac{7}{8}$ "
With Pressure Relief Valve**TYPE MD**

Horizontal Tube-O 1 x 14

**TYPE MJA**

Horizontal Tube-O 1 x 14




SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only

TYPE N

Vertical Tube-0 $\frac{3}{4}$ " x $\frac{1}{8}$ "




TYPE QH

Horizontal GM Pad



TYPE UB

Vertical Pad $\frac{3}{4}$ " x $\frac{1}{8}$ "



TYPE WH

Vertical Pad $\frac{3}{4}$ " x $\frac{1}{8}$ "



TYPE Q

Horizontal GM Pad



TYPE QM

Horizontal GM Pad



TYPE UD

Horizontal Pad $\frac{3}{4}$ " x $\frac{1}{8}$ "



TYPE WJ

Vertical Pad $\frac{3}{4}$ " x $\frac{1}{8}$ "



TYPE QD

Horizontal GM Pad M10




TYPE SJ

Horizontal Special Pad
SD7H15 Compressor




TYPE UK

Vertical Pad $\frac{3}{4}$ " x $\frac{1}{8}$ "



TYPE WV

Horizontal Tab $\frac{3}{4}$ " x $\frac{1}{8}$ "
With Pressure Relief Valve



SANDEN COMPRESSORS

Part Number
Cross Reference

Retrieve the Sanden part number from the label on the compressor body then find it's Red Dot counterpart on this table. For more information about a specific compressor review the following pages.



Sanden Part No.	Red Dot Part No.	Sanden Part No.	Red Dot Part No.
4039	75R84292	4473	75R81232
4040	75R81632	4474	75R81252
4041	75R8772	4475	75R84212
4042	75R81662	4476	75R84162
4080	75R89492	4477	75R81262
4269	75R8354	4478	75R84112
4271	75R8384	4479	75R81274
4271	75R8384	4480	75R81492
4272	75R8332	4482	75R81282
4296U1	75R83152	4484	75R84312
4300	75R81104	4485	75R81302
4301	75R81114	4486	75R81312
4302	75R81134	4487	75R84594
4303	75R81152	4488	75R84182
4304	75R81162	4489	75R81334
4306	75R84632	4490	75R81762
4417	75R81302	4491	75R84192
4419	75R89462	4492	75R81352
4420	75R89302	4493	75R81362
4421	75R81282	4494	75R81372
4422	75R81152	4495	75R81382
4423	75R81162	4496	75R81392
4424	75R84292	4497	75R84132
4425	75R81632	4498	75R81402
4426	75R8772	4499	75R81412
4427	75R81392	4506	75R8384
4428	75R84632	4507	75R8384
4429	75R81212	4508	75R83152
4430	75R81232	4510	75R8382
4431	75R81262	4511	75R8252
4432	75R81662	4513	75R8312
4433	75R84312	4514	75R83172
4434	75R89422	4515	75R8372
4435	75R89424	4516	75R8374
4447	75R89292	4519	75R8394
4448	75R89394	4530	75R8322
4453	75R81382	4536	75R8332
4468	75R81184	4537	75R8354
4469	75R81192	4542	75R83132
4470	75R81202	4602	75R81202
4471	75R84172	4603	75R81192
4472	75R81212	4604	75R81184

SANDEN COMPRESSORS

Sanden Part No.	Red Dot Part No.	Sanden Part No.	Red Dot Part No.	Sanden Part No.	Red Dot Part No.	Sanden Part No.	Red Dot Part No.
4608	75R84592	4715	75R84382	4822	75R84622	6630	75R8332
4609	75R84112	4717	75R81652	4823	75R84452	6631	75R8312
4611	75R84114	4718	75R81392	4840	75R81134	6634	75R8354
4617	75R84532	4726	75R84594	4860	75R89312	6656	75R83152
4618	75R83132	4731	75R84292	4861	75R89322	6664	75R8382
4626	75R8432	4733	75R81362	4862	75R89334	6665	75R8384
4627	75R8422	4734	75R84162	4863	75R89344	6671	75R8252
4628	75R84512	4735	75R84172	4864	75R89352	6672	75R8374
4637	75R84522	4736	75R84182	4865	75R89362	6673	75R8372
4639	75R84612	4737	75R89352	4866	75R89354	6674	75R8322
4640	75R81274	4739	75R81562	4867	75R89364	6676	75R8332
4641	75R84562	4740	75R84312	4868	75R89372	7409	75R8412
4643	75R84552	4742	75R84654	4869	75R89382	7621	75R8412
4644	75R8382	4745	75R8454	4870	75R89374	7803	75R83112
4645	75R81452	4745	75R8374	4871	75R89384	7804	75R81252
4646	75R81462	4746	75R8372	4872	75R89392	7819	75R8442
4646	75R8312	4747	75R8252	4873	75R89332	7822	75R84582
4647	75R81472	4752	75R84192	4874	75R89432	8103	75R8462
4652	75R8424	4756	75R84212	4875	75R89412	8104	75R8382
4656	75R81184	4757	75R81372	4877	75R89474	8105	75R84512
4657	75R84592	4759	75R81662	4878	75R89414	8107	75R81184
4658	75R81274	4761	75R81352	4881	75R89484	8108	75R84592
4659	75R84482	4762	75R8464	4882	75R89314	8109	75R81274
4660	75R81482	4767	75R81312	4883	75R81622	8390	75R8282
4661	75R81492	4768	75R81412	4885	75R81282	9103	75R8262
4663	75R84492	4769	75R81114	4890	75R84382	9119	75R8222
4664	75R8382	4776	75R84232	4891	75R81372	9120	75R8212
4665	75R84572	4777	75R81652	4892	75R81362	9122	75R8224
4666	75R84472	4778	75R84432	4893	75R81652	9285	75R8292
4667	75R81502	4779	75R81572	4894	75R81672	9514	75R8342
4672	75R81512	4780	75R81582	4895	75R81682	9515	75R8292
4687	75R84152	4781	75R81592	4896	75R81692	9537	75R8272
4694	75R84362	4792	75R81632	5072	75R82102	9592	75R8352
4695	75R8432	4795	75R81104	5073	75R82104	9674	75R8214
4696	75R8772	4806	75R81402	5074	75R82112	9675	75R8232
4699	75R81532	4810	75R84352	5077	75R82142	9676	75R8234
4700	75R81682	4813	75R81402	5080	75R82132	9680	75R81732
4704	75R84132	4817	75R81282	5407	75R8294	9684	75R8394
4709	75R81552	4818	75R84252	5424	75R81702		
4711	75R8462	4819	75R81602	5725	75R81712		
4712	75R84662	4820	75R81612	6627	75R8384		
4713	75R81472	4821	75R84262	6629	75R83172		



SANDEN COMPRESSORS

SANDEN COMPRESSORS

COMPRESSOR										CLUTCH								
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R81104	RD-5-11234-0P	4300, 4795	24	SD7H15SHD	Direct Long	MD	Horizontal Tube-0	1" - 14	9.5		6" (152mm) Poly 8	49mm	Female Weatherpak (IHC-Case)	1	Key	4795-9932		
75R81114	RD-5-11235-0P	4301, 4769	24	SD7H15SHD	Direct Long	GK	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (133mm) Poly 8	49mm	Cat OE	2	Key	4726-9931		
75R81134	RD-5-11236-0P	4302, 4840	24	SD7H15SHD	Direct Long	GK	Horizontal Pad	¾ x 7⁄8	9.5		6" (152mm) Poly 8	49mm	Cat OE	2	Key	4840-9932		
75R81152	RD-5-11237-0P	4303	12	SD7H15	Direct	WH	Vertical Pad (U)	¾ x 7⁄8	9.5		4.7" (119mm) Poly 8	61mm	Delphi 15300003	3	Key	4417-9931		
75R81162	RD-5-11238-0P	4304, 4423	12	SD7H15	Direct Long	WJ	Vertical Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 6	46mm	FSTB14A464-FA	2	Key RDA	4423-9931		
75R81172	RD-5-11239-0P	4305	12	SD7H15	Ear	WJ	Vertical Pad	Pad	9.5		4.7" (119mm) Poly 8	46mm	Ford OE	2		4427-9931		
75R81184	RD-5-11240-0P	4468, 4604, 4656, 8107	24	SD7H15SHD	Ear	GK	Horizontal Pad	¾ x 7⁄8	9.5		5 ½" (138mm) A1 Groove	40mm	Cat OE	2	Key	4604-9931, 6506-6010		
75R81192	RD-5-11241-0P	4469, 4603	12	SD7H15	Ear	WJ	Vertical Pad	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Ford OE (Yazaki)	2	Key	4601-9931, 6504-6010	4601-9931, 6504-6010	RD-5-10369-0P
75R81202	RD-5-11242-0P	4470, 4602	12	SD7H15	Direct Long	WH	Vertical Pad	¾ x 7⁄8	9.5		6 ½" (169mm) A1 Groove	40mm	Ford OE	2	Key	6505-6010, 7739-9931		
75R81212	RD-5-11243-0P	4429, 4472	12	SD7H15	Ear	GH	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key RDA	4428-9931	75R1852	RD-5-10761-0P
75R81232	RD-5-11244-0P	4430, 4473, 4819	12	SD7H15	Direct Long	GH	Horizontal Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 6	46mm	Metripak	2	Key RDA	4424-9931		
75R81252	RD-5-11245-0P	4474, 7804	12	SD7H15	Direct Long	WH	Vertical Pad (U)	¾ x 7⁄8	9.5		4.7" (119mm) Poly 8	49.55mm	Ford OE (Yazaki)	2	Key	7731-9930		
75R81262	RD-5-11247-0P	4431, 4477	12	SD7H15	Ear	MDA	Horizontal Tube-0	1" - 14	9.5		4.7" (119mm) Poly 8	34mm	Metripak	2	Key RDA	4417-9931, 4705-9931, 4734-9931	75R1842	RD-5-10760-0P
75R81274	RD-5-11248-0P	4479, 4640, 4658, 8109	24	SD7H15SHD	Ear	GK	Horizontal Pad	¾ x 7⁄8	9.5		6" (152mm) A1 Groove	40mm	Cat OE	2	Key	4640-9931		
75R81302	RD-5-11251-0P	4417, 4485	12	SD7H15	Direct Long	GH	Horizontal Pad	¾ x 7⁄8	9.5		4.7" (119mm) Poly 8	49mm	Metripak	2	Key RDA	4705-9931, 4417-9931, 4734-9931	75R1842	RD-5-10760-0P
75R81312	RD-5-11252-0P	4486, 4767	12	SD7H15	Direct Long	WH	Vertical Pad	¾ x 7⁄8 Female	9.5		4.7" (119mm) Poly 8	49mm	Metripak	3	Spline	4767-9931, 7731-9930		
75R81352	RD-5-11254-0P	4492, 4761	12	SD7H15	Direct Long	MDA	Horizontal Tube-0	1" - 14	9.5		4.9" (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931		
75R81362	RD-5-11256-0P	4493, 4733, 4892	12	SD7H15	Direct	WV	Horizontal Pad	¾ x 7⁄8	9.5		5 ⅞" (130mm) Poly 8	44mm	Metripak	2	Key RDA	4733-9931, 4892-9931, 4895-9931	75R4802	RD-5-11837-0P
75R81372	RD-5-11257-0P	4494, 4757, 4891	12	SD7H15	Direct Long	WV	Horizontal Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 6	46mm	Metripak	2	Key RDA	4757-9931, 4891-9931		
75R81382	RD-5-11258-0P	4453, 4495	12	SD7H15	Ear	GV	Vertical Pad	1" - 14	9.5		4.7" (119mm) Poly 8	34mm	Weatherpak	1	Key	4672-9931		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on preceding pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 RD-5-9987-0P



COMPRESSOR										CLUTCH								
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R81392	RD-5-11259-OP	4427, 4496, 4718	12	SD7H15	Ear	WJ	Vertical Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Ford OE	2	Key	4427-9931, 7731-9930	75R1432	RD-5-10361-OP
75R81402	RD-5-11260-OP	4498, 4806, 4813	12	SD7H15SHD	Direct Long	KCA	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) Poly 8	49mm	Cat OE	2	Key			
75R81412	RD-5-11310-OP	4499, 4768	12	SD7H15SHD	Direct Long	MD	Horizontal Tube-O	1" - 14	9.5		• 6" (152mm) Poly 8	49mm	Female Weatherpak (IHC-Case)	1	Key	4768-9932		
75R81452	RD-5-11313-OP	4645	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 7	36mm	Weatherpak	1	Key	4645-9931	75R0052	RD-5-10399-OP
75R81462	RD-5-11315-OP	4646	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Weatherpak	1	Key	6504-6310, 4647-9931		
75R81472	RD-5-11316-OP	4713	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	Weatherpak	1	Key	4647-9931, 6504-6310		
75R81482	RD-5-11322-OP	4660	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x 7⁄8	9.5		• 4 ¾" (119mm) Poly 8	34mm	Female Weatherpak (IHC-Case)	1	Key	4660-9931, 4672-9931, 4895-9931		
75R81492	RD-5-11324-OP	4480, 4661	12	SD7H15SHD	Ear	KC	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ½" (138mm) A1 Groove	40mm	Weatherpak	2	Key	6590-6210		
75R81502	RD-5-11326-OP	4667	12	SD7H15	Direct Long	KC	Horizontal O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	61mm	Metripak	2	Key	4417-9931, 4667-9931	75R1842	RD-5-10760-OP
75R81512	RD-5-11328-OP	4672	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5		• 4.7" (119mm) Poly 8	46mm	Weatherpak	1	Key	4672-9931		
75R81532	RD-5-11330-OP	4699	12	SD7H15	Direct	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	38mm	Metripak	2		6594-6010		
75R81552	RD-5-11331-OP	4709	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4647-9931, 6560-6010		
75R81562	RD-5-11334-OP	4739	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Metripak	2	Spline	4776-9931		
75R81572	RD-5-11336-OP	4779	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	HD 280 series	1	Spline	4779-9931		
75R81582	RD-5-11337-OP	4780	12	SD7H15	Direct Long	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	55mm	HD 280 series	1	Spline	4780-9931		
75R81592	RD-5-11338-OP	4781	12	SD7H15	Ear	KC	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ⅝" (130mm) Poly 8	34mm	HD 280 series	1	Spline	4781-9931		
75R81612	RD-5-11340-OP	4820	12	SD7H15	Ear	GH	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Metripak	2	Key	4734-9931, 4705-9931, 4417-9931	75R1842	RD-5-10760-OP
75R81622	RD-5-12330-OP	4883	12	SD7H15HD	Direct	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) Poly 6	46mm	Metripak	2	Key	4606-9630, 4424-9931		
75R81632	RD-5-12332-OP	4040, 4425, 4792	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5		• 4.9" (125mm) Poly 6	46mm	Metripak	2	Key	4424-9931		
75R81652	RD-5-11343-OP	4717, 4777, 4893	12	SD7H15	Ear	WV	Horizontal Pad	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key	4694-9931, 4777-9931, 4896-9931, 6594-6010	75R1832	RD-5-10759-OP
75R81662	RD-5-12334-OP	4042, 4432, 4759	12	SD7H15	Direct	GQ	Lateral Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	49mm	Metripak	2	Spline	4417-9931	75R1842	RD-5-10760-OP
75R81672	RD-5-11345-OP	4894	12	SD7H15	Direct Long	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	55mm	Metripak w HD 280 series	1	Key RDA	4694-9931, 4896-9931		
75R81682	RD-5-11346-OP	4895, 4700	12	SD7H15	Ear	KC	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ⅝" (130mm) Poly 8	34mm	Metripak w HD 280 series	1	Key RDA	4781-9931, 4895-9931		
75R81692	RD-5-11347-OP	4896	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	Metripak w HD 280 series	1	Key RDA	4896-9931, 4779-9931		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-OP**



COMPRESSOR											CLUTCH							
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R81702*	RD-5-11348-OP	5424	12	SD508	Ear	FG	Vertical O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Weatherpak	1	Key	6574-6210, 8524-6210		
75R81762	RD-5-11356-OP	4490	12	SD7H15	Ear	WV	Horizontal Pad	¾ x 7⁄8	9.5		5 ½" (130mm) Poly 8	34mm	Metripak	2	Key	4700-9931	75R4802	RD-5-11837-OP
75R82102	RD-5-10307-OP	5072	12	SD5H09	Ear	FL	Vertical O-Ring	¾ x 7⁄8	5.5		4.9" (125mm) A2 Groove	37mm	Bullet	1	Key	0669-6010, 9053-9841		
75R82104	RD-5-10308-OP	5073	24	SD5H09	Ear	FL	Vertical O-Ring	¾ x 7⁄8	5.5		4.9" (125mm) A2 Groove	37mm	Bullet	1	Key	0669-6210		
75R82112	RD-5-10309-OP	5074	12	SD5H09	Ear	FL	Vertical O-Ring	¾ x 7⁄8	5.5		4 ¾" (120mm) Poly 5	46mm	Bullet	1	Key	0676-6010		
75R82132	RD-5-10310-OP	5080	12	SD505	Ear	C	Vertical Tube-O	1" - 14	5		4.9" (125mm) Variable Groove	39mm	Bullet	1		0750-6010		
75R8214*	RD-5-5626-OP	9674	24	SD510	Ear	FG	Vertical O-Ring	¾ x 7⁄8	9.8		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6210, 8536-6410, 8536-6411	75R0204	RD-5-5487-OP
75R82142	RD-5-10493-OP	5077	12	SD5H09	Ear	K	Horizontal O-Ring	¾ x 7⁄8	5.5		4.9" (125mm) A2 Groove	37mm	Bullet	1	Key	8543-6310, 9053-9841		
75R82312	RD-5-13062-OP	4075	12	SD7H15	Direct	GH	Horizontal Pad	¾ x 7⁄8	9.5		4.7" (119mm) Poly 8	49mm	Metripak	2	Key			
75R8232*	RD-5-5627-OP	9675	12	SD510	Ear	FG	Vertical O-Ring	¾ x 7⁄8	9.8		6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010	75R1402	RD-5-5489-OP
75R8234*	RD-5-5628-OP	9676	24	SD510	Ear	FG	Vertical O-Ring	¾ x 7⁄8	9.8		6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6210, 9313-6210	75R1404	RD-5-5488-OP
75R8252	RD-5-8945-OP	6671	12	SD5H14	Ear	C	Vertical Tube-O	1" - 14	8.4		6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010	75R1402	RD-5-5489-OP
75R8262*	RD-5-6164-OP	9103	12	SD510-HD	Ear	B	Vertical Flare	¾ x 7⁄8	9.8		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6010, 8515-6410, 8515-6411	75R0202	RD-5-5486-OP
75R8272*	RD-5-5696-OP	9537	12	SD508	Ear	FG	Vertical O-Ring	¾ x 7⁄8	8.4		4.7" (119mm) Poly 7	36mm	Bullet	1	Key	6520-6010	75R0042	RD-5-5574-OP
75R8282*	RD-5-5199-OP	8390	12	SD508	Ear	B	Vertical Flare	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	8517-6010, 8517-6014, 6514-6210	75R0202	RD-5-5486-OP
75R8292*	RD-5-5575-OP	9515, 9285	12	SD508	Ear	FG	Vertical O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6010, 8515-6410, 8515-6411	75R0202	RD-5-5486-OP
75R8294*	RD-5-6365-OP	5407	24	SD508	Ear	FG	Vertical O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	AMP641256-1, Packard 08900420-4	1	Key	6577-6210, 8527-6410		
75R83112	RD-5-10283-OP	7803	12	SD7H15	Ear	QD	Horizontal Pad (QB)	M10	8.4		4.9" (125mm) A2 Groove	40mm	Metripak	2	Key	7803-9931		
75R8312	RD-5-7548-OP	4513, 6613, 4646	12	SD5H14	Ear	M	Horizontal Tube-O	1" - 14	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6514-6210	75R0202	RD-5-5486-OP
75R83132	RD-5-10284-OP	4542, 4618	12	SD7H15	Ear	QD	Horizontal Pad	Pad (QB)	8.4		4.7" (119mm) Poly 7	36mm	Metripak (T&B)	2	Key	4618-9931		
75R83152	RD-5-10288-OP	4508, 6656, 4296U1	12	SD5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		4.9" (125mm) Poly 10	35mm	Bullet	1	Key	6518-6010		
75R83172	RD-5-10293-OP	4514, 6629, 4665	12	SD5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		4.7" (119mm) Poly 7	36mm	Bullet	1	Key	6520-6010	75R0042	RD-5-5574-OP
75R8322	RD-5-9985-OP	4530, 6674	12	SD5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		4 ¾" (122mm) A1 Groove	60mm	Bullet	1	Key	8545-6310	75R1872	RD-5-10758-OP
75R8332	RD-5-9088-OP	4536, 6630, 6676, 4272	12	SD5H14	Ear	K	Horizontal O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6010	75R0202	RD-5-5486-OP



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ¾" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 RD-5-9987-OP



SANDEN COMPRESSORS

SANDEN COMPRESSORS

COMPRESSOR											CLUTCH							
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	neau Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R8342*	RD-5-5684-OP	9514	12	SD508	Ear	FG	Vertical O-Ring	¾ x 7⁄8	8.4		4 ¾" (122mm) A1 Groove	60mm	Bullet	1	Key	8545-6310	75R1872	RD-5-10758-OP
75R8352*	RD-5-6038-OP	9592	12	SD508	Ear	M	Horizontal Tube-O	1" - 14	8.4		4 ¾" (122mm) A1 Groove	60mm	Weatherpak	1	Key	8545-6011	75R1872	RD-5-10758-OP
75R8354	RD-5-8680-OP	4537, 6634, 4269	24	SD5H14	Ear	K	Horizontal O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6210	75R0204	RD-5-5487-OP
75R8372	RD-5-7090-OP	4515, 6673	12	SD5H14-HD	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010	75R1402	RD-5-5489-OP
75R8374	RD-5-7091-OP	4516, 6672	24	SD5H14-HD	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010, 6521-6210	75R1404	RD-5-5488-OP
75R8382	RD-5-7088-OP	4510, 4664, 6664, 4639, 4644, 8104	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4647-9931, 6511-6210		
75R8384	RD-5-7089-OP	4506, 4507, 6627, 6665, 4271	24	SD5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4		5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6210	75R0204	RD-5-5487-OP
75R8394*	RD-5-7610-OP	4519, 9684	24	SD510	Ear	QM	Horizontal Pad	Pad	9.8		5 ½" (138mm) A1 Groove	40mm	Cat Special: #ITT030-2196-001	2	Key	9374-6010, 9374-6011		
75R84112	RD-5-10259-OP	4478, 4609	12	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5		6" (152mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4609-9931, 6510-6010		
75R84114	RD-5-11161-OP	4489, 4611	24	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5		6" (152mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4611-9931		
75R8412*	RD-5-6625-OP	7409, 7621	12	SD709	Ear	FC	Vertical O-Ring	¾ x 7⁄8	9.5		4.9" (125mm) A2 Groove	40mm	Bullet	1	Key	6511-6110	75R0192	RD-5-7831-OP
75R84132	RD-5-10261-OP	4497, 4704	12	SD7H15	Ear	SJ	Horizontal Pad	Pad	9.5		5 ¼" (132mm) A2 Groove	40mm	Ford OE (Yazaki)	2	Key	4704-9931	75R1542	RD-5-10369-OP
75R84152	RD-5-10303-OP	4687	12	SD7H15	Direct Long	CBA	Vertical Tube-O	1" - 14	9.5		4.9" (125mm) Poly 6	46mm	Weatherpak	1	Key	4687-9931, 6571-6010		
75R84162	RD-5-10262-OP	4476, 4734	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5		4.7" (119mm) Poly 8	46mm	Metripak	2	Key	4417-9931, 4705-9931, 4734-9931	75R1842	RD-5-10760-OP
75R84172	RD-5-10263-OP	4471, 4735	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5		5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key	4428-9931, 4752-9931	75R1852	RD-5-10761-OP
75R84182	RD-5-10264-OP	4488, 4736	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key	4428-9931, 4752-9931	75R1852	RD-5-10761-OP
75R84192	RD-5-10265-OP	4491, 4699, 4752	12	7H15	Direct Long	JD	Vertical O-Ring	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	55mm	Metripak	2	Key	4428-9931, 4752-9931	75R1852	RD-5-10761-OP
75R84212	RD-5-10266-OP	4475, 4756	12	SD7H15	Direct Long	CBA	Vertical Tube-O	1" - 14	9.5		4.9" (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931		
75R8422	RD-5-7120-OP	4627	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		4.9" (125mm) A2 Groove	40mm	HD 280 series	1	Key	4627-9931, 4896-9931, 4779-9931, 6511-6110		
75R84232	RD-5-10267-OP	4776	12	SD7H15	Direct Long	MDA	Horizontal Tube-O	1" - 14	9.5		4.7" (119mm) Poly 8	49mm	Metripak	2	Spline	4776-9931		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ¾" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-OP**



SANDEN COMPRESSORS

SANDEN COMPRESSORS

COMPRESSOR										CLUTCH								
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	neau Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R8424	RD-5-7124-OP	4652	24	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5		• 4.9" (125mm) A2 Groove	40mm	HD 280 series	1	Key	6511-6310	75R0194	RD-5-7832-OP
75R84262	RD-5-10269-OP	4821	12	SD7H15	Ear	GH	Horizontal Pad	¾ x ⅞	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key	4428-9931, 4752-9931	75R1852	RD-5-10761-OP
75R84292	RD-5-10273-OP	4039, 4424, 4731	12	SD7H15	Direct Long	GSA	Lateral Pad	¾ x ⅞	9.5		• 4.9" (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931		
75R84312	RD-5-10274-OP	4433, 4484, 4740	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x ⅞	9.5		• 4.9" (125mm) A2 Groove	40mm	Metripak	2	Spline	4740-9931		
75R8432	RD-5-7522-OP	4626, 4695	12	SD7H15	Direct Long	JDA	Vertical O-Ring	¾ x ⅞	9.5		• 5 ¼" (132mm) A2 Groove	55mm	HD 280 series	1	Key	4626-9931, 4780-9931, 4896-9931, 6511-6010		
75R84352	RD-5-10275-OP	4810	12	SD7H15	Direct Long	WJ	Vertical Pad	¾ x ⅞ Female	9.5		• 4.9" (125mm) Poly 6	46mm	Ford OE	2	Long Spline	4810-9931		
75R84362	RD-5-10276-OP	4694	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Metripak	2	Key	4694-9931, 4896-9931, 6594-6010		
75R84382	RD-5-10278-OP	4715, 4890	12	SD7H15	Direct Long	WV	Horizontal Pad	¾ x ⅞	9.5		• 5 ¼" (132mm) A2 Groove	55mm	Metripak	2	Key RDA	4694-9931, 4896-9931, 6594-6010	75R1852	RD-5-10761-OP
75R8442	RD-5-7373-OP	7819	12	SD7H15	Ear	MD	Horizontal Tube-O	1" - 14	9.5		• 4.9" (125mm) A2 Groove	40mm	Bullet	1	Key	6560-6010	75R0192	RD-5-7831-OP
75R84432	RD-5-10281-OP	4778	12	SD7H15	Direct Long	WV	Horizontal Pad	¾ x ⅞	9.5		• 5 ¼" (132mm) A2 Groove	55mm	Metripak	2	Spline	4777-9931		
75R84452	RD-5-10282-OP	4823	12	SD7H15	Direct	KC	Horizontal O-Ring	¾ x ⅞	9.5		• 5 ⅞" (130mm) Poly 8	44mm	HD 280 series	1	Spline	4781-9931		
75R84472	RD-5-10285-OP	4666	12	SD7H15	Direct Long	KC	Horizontal O-Ring	¾ x ⅞	9.5		• 4.7" (119mm) Poly 8	49mm	Bullet	1	Key	6522-6010	75R1862	RD-5-10762-OP
75R84482	RD-5-10286-OP	4659	12	SD7H15	Ear	KC	Horizontal O-Ring	¾ x ⅞	9.5		• 5 ⅞" (130mm) Poly 8	34mm	HD 280 series	1	Key	4659-9931, 4895-9931		
75R84492	RD-5-10287-OP	4663	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5		• 4.9" (125mm) A2 Groove	40mm	Bullet	1	-	6560-6010		
75R84512	RD-5-10290-OP	4628, 8105	12	SD7H15	Direct Long	JD	Vertical O-Ring	¾ x ⅞	9.5		• 4.7" (119mm) Poly 6	62mm	Bullet	1	Key	6516-6010	75R0032	RD-5-10398-OP
75R84522	RD-5-6919-OP	4637	12	SD7H15SHD	Ear	KC	Horizontal O-Ring	¾ x ⅞	9.5		• 5 ¼" (133mm) Poly 8	34mm	Metripak (Male 280 series)	2	Key	6586-6010		
75R84532	RD-5-10291-OP	4617, 4643	12	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Bullet	1	Key	4617-9931, 6585-6010		
75R8454	RD-5-10725-OP	4745	24	SD7H15HD	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5		• 6 ¼" (158mm) Variable Groove	40mm	Bullet	1	Spline			
75R84552	RD-5-10292-OP	4645	12	SD7H15	Ear	CB	Vertical O-Ring	1" - 14	9.5		• 5 ¼" (132mm) A2 Groove	36mm	Bullet	1	Key	4645-9931		
75R84562	RD-5-10294-OP	4641	12	SD7H15	Direct	MD	Horizontal O-Ring	1" - 14	9.5		• 4.7" (119mm) Poly 6	55mm	Bullet	1	Key			
75R84572	RD-5-10295-OP	4665	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5		• 4.7" (119mm) Poly 7	36mm	Weatherpak	1	Key	6512-6210		
75R84582	RD-5-10296-OP	7822	12	SD7H15	Ear	MD	Horizontal Tube-O	1" - 14	9.5		• 4.7" (119mm) Poly 8	34mm	Bullet	1	Key	6522-6010	75R1862	RD-5-10762-OP
75R84592	RD-5-11220-OP	4608, 4657, 8108	12	SD7H15SHD	Ear	GK	Horizontal Pad	¾ x ⅞	9.5		• 5 ½" (138mm) A1 Groove	40mm	Cat OE	2	Key	4608-9930, 4608-9932, 6506-6110		
75R84594	RD-5-10260-OP	4487, 4726	24	SD7H15SHD	Ear	GK	Horizontal Pad	¾ x ⅞	9.5		• 5 ¼" (133mm) Poly 8	34mm	Cat OE	1	Key	4726-9931		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020RD-5-9987-OP



SANDEN COMPRESSORS

SANDEN COMPRESSORS

COMPRESSOR										CLUTCH								
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R8462	RD-5-9251-OP	4711, 8103	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Bullet	1	Key	6522-6010	75R1862	RD-5-10762-OP
75R84622	RD-5-10738-OP	4822	12	SD7H15	Direct Long	JDA	Vertical O-Ring	1" - 14	9.5		• 4.7" (119mm) Poly 8	49mm	Metripak	2	Key	4417-9931, 4705-9931, 4734-9931	75R1842	RD-5-10760-OP
75R84632	RD-5-10737-OP	4306, 4428	12	SD7H15	Direct Long	KCA	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	55mm	Metripak	2	Key RDA	4428-9931	75R1852	RD-5-10761-OP
75R8464	RD-5-9458-OP	4762	24	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	47mm	Bullet	1	Key	4762-9931		
75R84644	RD-5-11233-OP	4604	24	SD7H15	Ear	GK	Horizontal Pad	¾ x 7⁄8	9.5		• 5 ½" (138mm) A1 Groove	40mm	Cat OE	2	Key	6506-6010, 4604-9931		
75R84654	RD-5-9319-OP	4742	24	SD7H15	Ear	KG	Horizontal O-Ring	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	HD plug	1	Key			
75R84662	RD-5-11002-OP	4712	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	46mm	Bullet	1	Key	6522-6010	75R1862	RD-5-10762-OP
75R84672	RD-5-13071-OP	4060	12	SD7H15	Direct	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	49mm	Metripak	2				
75R84684	RD-5-12179-OP	4409	24	SD7H15	Ear	JD	Vertical O-Ring	¾ x 7⁄8	9.5		• 6" (152mm) A2 Groove	40mm		1	Key			
75R84694	RD-5-13072-OP	4269	24	SD7H15	Ear	KG	Horizontal O-Ring	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	24mm			Key			
75R8772	RD-5-12523-OP	4041, 4426, 4696	12	SD7H15	Ear	GQ	Lateral Pad	Pad	9.5		• 4.9" (125mm) A2 Groove	40mm	Metripak	2	Key	6593-6010, 4695-9931, 4426-9931	75R1532	RD-5-10368-OP
75R89292	RD-5-11012-OP	4447	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 5 ¼" (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1		4434-9931		
75R89302	RD-5-10885-OP	4420	12	7H15 FLX7	Direct Long	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	49mm	Female Weatherpak plus jumper	1	Key	4420-9931	75R1862	RD-5-10762-OP
75R89312	RD-5-10886-OP	4860	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4713-9930	75R0192	RD-5-7831-OP
75R89314*	RD-5-11011-OP	4882	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 6" (152mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4881-9930		
75R89322	RD-5-10887-OP	4861	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	24mm	Weatherpak	1	Key	4713-9930		
75R89334	RD-5-10888-OP	4862	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.9" (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4862-9931		
75R89352	RD-5-10890-OP	4737, 4864	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1	Key	4420-9931		
75R89354	RD-5-10892-OP	4866	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1	Key	4866-9931		
75R89362*	RD-5-10891-OP	4865	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1	Key	4420-9931		
75R89364	RD-5-11003-OP	4867	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1				
75R89372	RD-5-10893-OP	4868	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		• 6 ¼" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4868-9930		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits 1⁄2" Wide Belt
ONE VARIABLE GROOVE — Fits 1⁄2", 3⁄8" & 3⁄4" Wide Belt
ONE "A" SECTION OVERHANG — Fits 1⁄2" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 RD-5-9987-OP



COMPRESSOR										CLUTCH								
Red Dot Part No.	Factory Part No.	Sanden Part No.	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches		Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
75R89374	RD-5-10895-OP	4870	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		6 ¼" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4870-9930		
75R89382	RD-5-10894-OP	4869	12	SD7H15	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		6 ¼" (158mm) Variable Groove		Female Weatherpak plus jumper	1		4868-9930		
75R89384*	RD-5-10896-OP	4871	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		6 ¼" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4870-9930		
75R89392	RD-5-10897-OP	4872	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 10	35mm	Female Weatherpak plus jumper	1	Key	4872-9930		
75R89394	RD-5-11013-OP	4448	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1		4435-9931		
75R89412*	RD-5-11311-OP	4875	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ½" (138mm) A1 Groove	40mm	Female Weatherpak plus jumper	1	Key	4875-9932		
75R89414	RD-5-10898-OP	4878	24	SD7H15	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ½" (138mm) A1 Groove	40mm	Female Weatherpak plus jumper	1				
75R89422	RD-5-10899-OP	4434	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4434-9931		
75R89424	RD-5-10900-OP	4435	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1		4435-9931		
75R89432	RD-5-11005-OP	4874	12	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ¼" (133mm) Poly 8 with dust cover	33mm	Female Weatherpak plus jumper	1	Key	4874-9932		
75R89462	RD-5-11006-OP	4419	12	7H15 FLX7	Direct Long	GV	Horizontal Pad	¾ x 7⁄8	9.5		4.9" (125mm) A2 Groove	39mm	Female Weatherpak plus jumper	1	Key	4713-9930	75R0192	RD-5-7831-OP
75R89474	RD-5-11009-OP	4877	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		5 ½" (138mm) A1 Groove	40mm	Female Weatherpak plus jumper	1	Key	4877-9932		
75R89484	RD-5-11010-OP	4881	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x 7⁄8	9.5		6" (152mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4881-9930		
75R89492	RD-5-12550-OP	4080	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5		4.9" (125mm) Poly 6	46mm	Metripak	2				
75R89502	RD-5-13207-OP	4077	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5		4.7" (119mm) Poly 8	49mm	Metripak	2	Key			
75R89522	RD-5-13209-OP	4079	12	SD7H15	Direct	GSA	Lateral Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 6	56mm	Metripak	2	Key			
75R89532	RD-5-13210-OP	4078	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5		4.9" (126mm) Poly 12	56mm	Metripak	2	Key			
75R89552	RD-5-13212-OP	194696	12	SE7H15	Ear	GQ	Lateral Pad	Pad	9.5		5 ¼" (132mm) A2 Groove	40mm	Metripak	2		4426-9931		
75R89562	RD-5-13213-OP	1027K8	12	SE7H15	Direct	GQ	Lateral Pad	Pad	9.5		4.7" (119mm) Poly 8	48mm	Metripak	2	Key	4417-9931		
75R89572	RD-5-13214-OP	1027U3	12	SE7H15	Direct	GQ	Lateral Pad	Pad	9.5		4.9" (125mm) Poly 6	45mm	Delphi 15300002	2	Spline	4424-9931		
75R89582	RD-5-13215-OP	1027T6	12	SE7H15	Direct	GH	Horizontal Pad	¾ x 7⁄8	9.5		4.9" (125mm) Poly 6	45mm	Metripak	2	Spline	4424-9931		
75R89602	RD-5-13226-OP	4089	12	SD7H15	Ear	GQ	Lateral Pad	Pad	9.5		4.9" (125mm) A2 Groove	24mm	Metripak	2				



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ¾" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 RD-5-9987-OP



75R SERIES

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products

QP-15HD



Bore	1.42in (36mm)
Stroke	0.94in (24mm)
Number of Cylinders	6
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a, CFC-12
Lubricant	ZXL100PG, 150 cc Freol DS-83P, 150 cc
Rotation	Clockwise and Counterclockwise

QP15HD Ear Mount


Displacement per Revolution	8.9cu.in (146cm ³)
Weight	9.7lbs (4.4kg)

QP15HD Direct Mount

Displacement per Revolution	9.0cu.in (147cm ³)
Weight	9.9lbs (4.5kg)



NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.





Mounting options up to 45° from vertical.




Replacements for ICE / Seltec / Sanden Products – **QUE COMPRESSORS****QP-16HD**

Bore	1.42in (36mm)
Stroke	1.05in (26.7mm)
Displacement per Revolution	9.95cu.in (163cm ³)
Number of Cylinders	6
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a, CFC-12
Lubricant	ZXL100PG, 150 cc Freol DS-83P, 150 cc
Weight	10.8lbs (4.9kg)
Rotation	Clockwise and Counterclockwise



NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.





Mounting options up to 45° from vertical.




QP-21HD

Bore	1.26in (32mm)
Stroke	1.05in (26.7mm)
Displacement per Revolution	13.1cu.in (214.7cm³)
Number of Cylinders	10
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a
Lubricant	ZXL100PG
Weight	11.3lbs (5.1kg)
Rotation	Clockwise or Counterclockwise



NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.



Mounting options up to 45° from vertical.



COMPRESSOR												CLUTCH						
Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
75R81184Q	RD-5-12569-0P	4604			24V	QP7H15	Ear	GK	Horizontal Pad	Pad	9.5	6" (152mm) A1 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
75R81302Q	RD-5-11251-1P	4417			12V	QP7H15	Direct	GH	Horizontal Pad	¾ x 7⁄8	9.5	4 ¾" (119mm) Poly 8	2" (49mm)	Metripak	2	Spline		
75R81372Q	RD-5-11257-1P	4891			12V	QP7H15	Direct	WV	Horizontal Pad	¾ x 7⁄8	9.5	4.9" (125mm) Poly 6	1 7⁄8" (47mm)	Metripak	2	Spline		
75R81472Q	RD-5-11316-1P	4713			12V	QP7H15	Ear	JDA	Horizontal Pad	¾ x 7⁄8	9.5	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Weatherpak	1	Spline		
75R81622Q	RD-5-12330-1P	4883			12V	QP7H15	Direct	JD	Vertical O-Ring	¾ x 7⁄8	9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Metripak	2	Spline		
75R81632Q	RD-5-12332-1P	4425			12V	QP7H15	Direct	GQ	Lateral Pad	¾ x 7⁄8	9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Weatherpak	2	Spline		
75R81642Q	RD-5-12535-0P	4705	2521496		12V	QP16HD	Ear	GQ	Lateral Pad	¾ x 7⁄8	9.5	4 ¾" (123mm) Poly 8	1 11⁄32" (34mm)	Metripak	2	Spline	75R0062	RD-5-10727-0P
75R81652Q	RD-5-11343-1P	4893			12V	QP7H15	Ear	WV	Horizontal Pad	¾ x 7⁄8	9.5	5 ¼" (132mm) 2 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
75R81662Q	RD-5-12334-1P	4432			12V	QP7H15	Direct	GQ	Lateral Pad	¾ x 7⁄8	9.5	4 ¾" (123mm) Poly 8	2" (52mm)	Weatherpak	2	Spline		
75R81732	RD-5-11350-0P	9680			12													
75R8354Q	RD-5-8680-1P	4537			24V	QP5H14	Ear	K	Horizontal O-Ring	¾ x 7⁄8	8.4	5 ¼" (132mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R8374Q	RD-5-7091-1P	4745			24V	QP5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4	6 ¼" (159mm) Variable Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R8382Q	RD-5-7088-1P	4510			12v	QP5H14	Ear	FL	Vertical O-Ring	¾ x 7⁄8	8.4	5 ¼" (132mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R84302Q	RD-5-13235-0P	4815			12V	QP7H15	Direct	GWA	Horizontal Pad	¾ x 7⁄8	9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Metripak	2	Spline		
75R84612Q	RD-5-10297-1P	4644			12V	QP7H15	Ear	SNA	Vertical O-Ring	¾ x 7⁄8	9.5	5 ¼" (132mm) 2 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
75R8502Q	RD-5-5875-1P		2521129	488-25063	12V	QP15HD	Ear	F	Vertical O-Ring	¾ x 7⁄8	8.9	5" (125mm) 1 Groove Overhang	2 7⁄16" (62mm)	Bullet	1	Spline	75R0182	RD-5-6646-0P
75R85032Q	RD-5-9609-9P		2521168	488-45075	12V	QP15HD	Ear	C	Horizontal O-Ring	1" - 14	8.9	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline	75R0262	RD-5-10723-0P
75R85102Q	RD-5-12899-0P				12V	QP16HD	Direct	L	Horizontal O-Ring	¾ x 7⁄8	13.1	4 ¾" (119mm) Poly 8	2 (49mm)	Bullet	1	Spline		
75R85112Q	RD-5-12901-0P				12V	QP16HD	Direct	A	Horizontal O-Ring	¾ x 7⁄8	13.1	4 ¾" (119mm) Poly 8	2 (49mm)	Bullet	1	Spline		
75R8512Q	RD-5-5876-1P		2521121	488-25011	12V	QP15HD	Ear	F	Vertical O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R85132Q	RD-5-12900-0P				12V	QP16HD	Direct	D	Vertical O-Ring	¾ x 7⁄8	9.5	5 ¼" (135mm) 2 Groove	2 1⁄8" (54mm)	Bullet	1	Spline		
75R8522Q	RD-5-7023-1P		2521132	488-25077	12V	QP15HD	Ear	F	Vertical O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	-	Weatherpak	1	Spline		
75R8532Q	RD-5-8944-1P		2521166	488-45063	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x 7⁄8	8.9	5" (125mm) 1 Groove Overhang	2 7⁄16" (62mm)	Bullet	1	Spline	75R0182	RD-5-6646-0P
75R85332Q	RD-5-10319-1P		2521329	488-45094	12V	QP15HD	Ear	E	Vertical O-Ring	1" - 14	8.9	6 ¼" (159mm) Variable Groove	1 7⁄8" (47mm)	Bullet	1	Spline	75R1412	RD-5-9249-0P
75R8542Q	RD-5-9028-1P		2521158	488-45030	12V	QP15HD	Ear	A	Horizontal O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R8544Q	RD-5-9059-1P		2521154	488-45017	24V	QP15HD	Ear	A	Horizontal O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
75R8552Q	RD-5-9609-10P		2521301	488-45077	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	-	Weatherpak	1	Spline		
75R85632Q	RD-5-10321-1P		2521316	488-45023	12V	QP15HD	Ear	E	Vertical O-Ring	1" - 14	8.9	5 ¼" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R85642Q	RD-5-11373-1P				12V	QP15HD	Ear	E	Vertical O-Ring	1" - 14	8.9	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Weatherpak	1	Spline		
75R85714Q	RD-5-10323-1P		2521279		24V	QP15HD	Ear	C	Horizontal O-Ring	¾ x 7⁄8	8.9	6 ¼" (159mm) Variable Groove	1 7⁄8" (47mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
75R85732Q	RD-5-10428-1P		2521324	488-45069	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x 7⁄8	8.9	5 ¼" (135mm) 2 Groove	-	Bullet	1	Spline	75R0252	RD-5-10722-0P
75R85734Q	RD-5-10322-1P		2521165	488-45061	24V	QP15HD	Ear	D	Vertical O-Ring	¾ x 7⁄8	8.9	6 ¼" (159mm) Variable Groove	1 9⁄16" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ¾" & 7⁄8" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020RD-5-9987-0P



COMPRESSOR											CLUTCH							
Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
75R85832Q	RD-5-10324-1P		2521323	488-45068	12V	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞	8.9	4 ¾" (123mm) Poly 6	1 ⅛" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
75R85932Q	RD-5-10325-1P		2521156	488-45019	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞	8.9	4 ¾" (123mm) Poly 6	1 ⅛" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
75R86092Q	RD-5-10431-1P		2521330	488-45097	12V	QP15HD	Ear	C	Horizontal O-Ring	1" - 14	8.9	4 ¾" (123mm) Poly 6	1 ⅛" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
75R8612Q	RD-5-7145-1P		2521152	488-45011	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞	8.9	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline		
75R86132Q	RD-5-10429-1P		2521266	488-45122	12V	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞	8.9	4 ¾" (123mm) Poly 8	1 ⅛" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
75R86134Q	RD-5-10326-1P		2521268	488-45081	24V	QP15HD	Direct	A	Horizontal O-Ring	¾ x ⅞	9	6 ¼" (159mm) Variable Groove	1 ⅞" (47mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
75R86142Q	RD-5-12530-1P		2521562	488-47244	12V	QP21HD	Direct	J	GM	Pad Fitting	13.1	5 ½" (141mm) Poly 8	2" (51mm)	Bullet	2	Spline		
75R86144Q	RD-5-11866-2P		2521563	488-47246	24V	QP21HD	Direct	J	GM	Pad Fitting	13.1	5 ½" (141mm) Poly 8	2" (51mm)	Bullet	2	Spline		
75R8614Q	RD-5-7163-2P		2521153	488-45015	24V	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞	8.9	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
75R861522Q	RD-5-12902-0P				12V	QP21	Direct	J	GM	Pad Fitting	13.1	5 ¾ (145 mm) 2GR	2 ⅞ (54mm)	Bullet	2	Spline		
75R86152Q	RD-5-10327-1P		2521280	488-45082	12V	QP15HD	Direct/ Tangential	D	Vertical O-Ring	¾ x ⅞	9	4 ¾" (123mm) Poly 8	1 ⅛" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
75R86162Q	RD-5-10328-1P		2521281	488-45084	12V	QP15HD	Direct	A	Horizontal O-Ring	¾ x ⅞	9	4 ¾" (123mm) Poly 8	1 ⅛" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
75R86172Q	RD-5-10329-1P		2521170	488-45088	12V	QP15HD	Direct/ Tangential	D	Vertical O-Ring	¾ x ⅞	9	4 ¾" (123mm) Poly 6	2 ⅞" (62mm)	Bullet	1	Spline	75R0092	RD-5-10545-0P
75R86182Q	RD-5-10426-1P		2521282	488-45092	12V	QP15HD	Direct	D	Vertical O-Ring	¾ x ⅞	9	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline		
75R86194Q	RD-5-10427-1P		2521294	488-45090	24V	QP15HD	Direct	D	Vertical O-Ring	¾ x ⅞	9	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
75R86202Q	RD-5-11521-1P		2521186	488-46030	12V	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞	9.95	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1			
75R86212Q	RD-5-11520-1P		2521350	488-46075	12V	QP16HD	Ear	C	Horizontal O-Ring	1" - 14	9.95	5" (125mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R1212	RD-5-10724-0P
75R86222Q	RD-5-11523-1P		2521596	488-46059	12V	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞	9.95	5 ¼" (135mm) 2 Groove	-	Weatherpak	1	Spline		
75R86232Q	RD-5-13041-0P				12V	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞	9.95	5 ¼" (135mm) 2 Groove	1 ⅞" (40mm)	Bullet	1	Spline		
75R86322Q	RD-5-12904-0P				12V	QP21	Direct	J	GM	Pad Fitting	13.1	5 (127mm) Poly 8	2 (49mm)	Bullet	2	Spline		
75R86324Q	RD-5-12903-0P				24V	QP21	Direct	J	GM	Pad Fitting	13.1	5 ¾ (145 mm) 2GR	2 ⅞ (54mm)	Bullet	2	Spline		
75R8632Q	RD-5-7164-1P		2521167	488-45065	12V	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞	8.9	6 ¼" (159mm) Variable Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R1412	RD-5-9249-0P
75R86332Q	RD-5-13153-0P				12V	QP21	Direct	J	GM	Pad Fitting	13.1	5" (125mm) 2 Groove	2 ⅜" (46mm)	Weatherpak	1	Spline		
75R8634Q	RD-5-7165-1P		2521192	488-46061	24V	QP16HD	Ear	D	Vertical O-Ring	¾ x ⅞	9.95	6 ¼" (159mm) Variable Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
75R8644Q	RD-5-8884-1P		2521194	488-46073	24V	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞	9.95	6 ¼" (159mm) Variable Groove	1 ⅞" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
75R8672Q	RD-5-12529-0P		2521209	488-46500	12V	QP31HD	Direct/ Tangential	G	Top Outlet	1 ⅞ x ⅞	19.1	6" (152 mm) 2 Groove	3" (78mm)	Bullet	1	Spline	75R4782	RD-5-10301-0P
75R8682Q	RD-5-12528-0P		2521213	488-46540	12V	QP31HD	Direct/ Tangential	G	Top Outlet	1 ⅞ x ⅞	19.1	6" (152 mm) Poly 8	2 ⅝" (67mm)	Bullet	1	Spline	75R4792	RD-5-10302-0P
75R8684Q	RD-5-12908-0P				24V	QP31HD	Direct/ Tangential	G	Top Outlet	1 ⅞ x ⅞	19.1	6" (152 mm) Poly 8	2 ⅝" (67mm)	Bullet	1	Spline		



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ⅜", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020RD-5-9987-0P



COMPRESSOR											CLUTCH							
Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
75R8694Q	RD-5-12528-0P				12V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6" (152 mm) 2 Groove	3" (78mm)	Bullet	1	Spline		
75R8702Q	RD-5-10728-1P		2521171	488-45120	12V	QP15HD	Ear	D	Vertical O-Ring	3⁄4 x 7⁄8	8.9	4 3⁄4" (123mm) Poly 8	1 11⁄32" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
75R8704Q	RD-5-12525-0P				24V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6" (152 mm) Poly 8	2 5⁄8" (67mm)	Bullet	2	Spline		
75R8712Q	RD-5-9609-11P		2521180	488-46011	12V	QP16HD	Ear	D	Vertical O-Ring	3⁄4 x 7⁄8	9.95	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R8714Q	RD-5-13063-1P				24V	QP16HD	Ear	D	Vertical O-Ring	3⁄4 x 7⁄8	9.95	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
75R8722Q	RD-5-10492-1P	4717	2521475		12V	QP16HD	Ear	WV	Horizontal Pad	3⁄4 x 7⁄8	9.5	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Metripak	2	Spline	75R1212	RD-5-10724-0P
75R8732Q	RD-5-10494-1P	4716	2521493		12V	QP16HD	Ear	WV	Horizontal Pad	3⁄4 x 7⁄8	9.5	4 3⁄4" (123mm) Poly 8	1 9⁄16" (40mm)	Metripak	2	Spline	75R0062	RD-5-10727-0P
75R8782Q	RD-5-12906-0P				12V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6 1⁄4 (158mm) 2 Groove	3 (75mm)	Bullet	1	Spline		
75R8784Q	RD-5-12907-0P				24V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6 1⁄4 (158mm) 2 Groove	3 (75mm)	Bullet	1	Spline		
75R8802Q	RD-5-11318-1P		2521581		12V	QP16HD	Ear	E	Vertical O-Ring	1" - 14	9.95	4 3⁄4" (123mm) Poly 8	1 11⁄32" (34mm)	Weatherpak	1	Spline		
75R8812Q	RD-5-13655-0P				12V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6" (152 mm) Poly 8	2 5⁄8" (67mm)	Weatherpak	1	Spline		
75R8814Q	RD-5-12630-0P				24V	QP31HD	Direct/Tangential	G	Top Outlet	1 1⁄16 x 7⁄8	19.1	6" (152mm) Poly 10	2 23⁄32 (69mm)	Weatherpak	1	Spline		
75R8822Q	RD-5-12564-0P				12V	QP16HD	Ear	E	Vertical O-Ring	1" - 14	9.95	4 3⁄4" (123mm) Poly 8	1 11⁄32" (34mm)	Bullet	1	Spline		
75R89552Q	RD-5-13212-1P	194696			12	QP7H15	Ear	GQ	Lateral Pad	Pad	9.5	5 1⁄4" (132mm) A2 Groove	1 9⁄16" (40mm)	Metripak	2			
75R89562Q	RD-5-13213-1P	1027K8			12	QP7H15	Direct	GQ	Lateral Pad	Pad	9.5	4.7" (119mm) Poly 8	1 57⁄64" (48mm)	Metripak	2	Key		
75R89572Q	RD-5-13214-1P	1027U3			12	QP7H15	Direct	GQ	Lateral Pad	Pad	9.5	4.9" (125mm) Poly 6	1 3⁄4" (45mm)	Delphi 15300002	2	Spline		
75R89582Q	RD-5-13215-1P	1027T6			12	QP7H15	Direct	GH	Horizontal Pad	3⁄4 x 7⁄8	9.5	4.9" (125mm) Poly 6	1 3⁄4" (45mm)	Metripak	2	Spline		



CLUTCH VARIATIONS
Left to Right:
TWO “A” SECTION — Fits 1⁄2” Wide Belt
ONE VARIABLE GROOVE — Fits 1⁄2”, 3⁄8” & 1⁄4” Wide Belt
ONE “A” SECTION OVERHANG — Fits 1⁄2” Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

Complete your compressor installation. Replace the receiver drier as per manufacturer’s recommendation. Check all O-Rings and hoses. And use Red Dot’s easy O-Ring Assortment Kit


70R5020RD-5-9987-0P




75R SERIES

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products


75R81642Q RD-5-12535-0P
Model: QP16HD **Head:** GQ **Voltage:** 12V
Mount: Ear **ICE:** 2521496
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R8354Q RD-5-8680-1P
Model: QP-15HD **Head:** K **Voltage:** 12
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 1/4" (135mm) 2 Groove **R-12**




75R8374Q RD-5-7091-1P
Model: QP-5H14 **Head:** FL **Voltage:** 24V
Mount: Ear
Clutch: 6 1/4" (159mm) Variable Groove **R134a**




75R8382Q RD-5-7088-0P
Model: 5H14-HD **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 1/4" (132mm) A2 Groove **R134a**




75R8502Q RD-5-5875-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521129 **Seltec:** 488-25063
Clutch: 5" (125mm) 1 Groove overhang **R-12**




75R8512Q RD-5-5876-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 1/4" (135mm) 2 Groove **R-12**




75R8522Q RD-5-7023-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521132 **Seltec:** 488-25077
Clutch: 5 1/4" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8542Q RD-5-9028-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521158, 2521479 **Seltec:** 488-45030
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R8544Q RD-5-9059-1P
Model: QP-15HD **Head:** A **Voltage:** 24
Mount: Ear **ICE:** 2521154 **Seltec:** 488-45017
Clutch: 5 1/4" (135mm) 2 Groove **R134a**



75R8552Q RD-5-9609-10P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R8612Q RD-5-7145-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




Replacements for ICE / Seltec / Sanden Products – **QUE COMPRESSORS**


75R8614Q RD-5-7163-2P
Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521153 **Seltec:** 488-45015
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R8622Q RD-5-12902-0P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**




75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**




75R8634Q RD-5-7165-1P
Model: QP-16HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521192 **Seltec:** 488-46061
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**




75R8644Q RD-5-8884-1P
Model: QP-16HD **Head:** A **Voltage:** 24
Mount: Ear **ICE:** 2521194 **Seltec:** 488-46073
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**




75R8672Q RD-5-12529-0P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521209 **Seltec:** 488-46500
Clutch: 6" (152mm) 2 Groove, 1/2" **R134a**




75R8682Q RD-5-12528-0P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521213 **Seltec:** 488-46540
Clutch: 6" (152mm) Poly 8 **R134a**




75R8684Q RD-5-12908-0P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521213 **Seltec:** 488-46540
Clutch: 6" (152mm) Poly 8 **R134a**




75R8694Q RD-5-12905-0P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521213 **Seltec:** 488-46540
Clutch: 6" (152mm) Poly 8 **R134a**




75R8702Q RD-5-10728-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521171 **Seltec:** 488-45120
Clutch: 4 3/4" (123mm) Poly 8 **R134a**



75R8704Q RD-5-12525-0P
Model: QP-31HD **Head:** G **Voltage:** 24V
Mount: Direct/ Tangential
Clutch: 6" (152 mm) Poly 8 **R134a**




75R8712Q RD-5-9609-11P
Model: QP-16HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521180 **Seltec:** 488-46011
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R SERIES

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products


75R8714Q RD-5-13063-1P
Model: QP16HD **Head:** D **Voltage:** 24V
Mount: Ear
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R8722Q RD-5-10492-1P
Model: QP-16HD **Head:** L **Voltage:** 12
Mount: Ear **ICE:** 2521475
Clutch: 5" (125mm) 2 Groove **R134a**




75R8732Q RD-5-10494-1P
Model: QP-16HD **Head:** L **Voltage:** 12
Mount: Ear **ICE:** 2521493
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R8752Q RD-5-10496-1P
Model: QP-16HD **Head:** H **Voltage:** 12
Mount: Ear **ICE:** 2521496
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R8762Q RD-5-10497-1P
Model: QP-16HD **Head:** Z **Voltage:** 12
Mount: Ear **ICE:** 2521494
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R8802Q RD-5-11318-1P
Model: QP-16HD **Head:** E **Voltage:** 12V
Mount: Ear **2521581**
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R8812Q RD-5-13655-0P **Model:**
Model: QP-31HD **Head:** G **Voltage:** 12V
Mount: Direct/ Tangential
Clutch: 6" (152 mm) Poly 8 **R134a**




75R8814Q RD-5-12630-0P
Model: QP-31HD **Head:** G **Voltage:** 24V
Mount: Direct/ Tangential
Clutch: 6" (152mm) Poly 10 **R134a**




75R8822Q RD-5-12564-0P
Model: QP-16HD **Head:** E **Voltage:** 12V
Mount: Ear
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R81184Q RD-5-12569-0P
Model: QP-7H15 **Head:** GK **Voltage:** 24V
Mount: Ear
Clutch: 6" (152mm) A1 Groove **R134a**



75R81302Q RD-5-11251-1P
Model: QP-7H15 **Head:** GH **Voltage:** 12V
Mount: Direct
Clutch: 4 3/4" (119mm) Poly 8 **R134a**




75R81372Q RD-5-11257-1P
Model: QP-7H15 **Head:** WV **Voltage:** 12V
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




Replacements for ICE / Seltec / Sanden Products – QUE COMPRESSORS


75R81472Q RD-5-11316-1P
Model: QP-7H15 **Head:** JDA **Voltage:** 12V
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R81622Q RD-5-12330-1P
Model: QP-7H15 **Head:** JD **Voltage:** 12V
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81632Q RD-5-12332-1P
Model: QP-7H15 **Head:** GQ **Voltage:** 12V
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81652Q RD-5-11343-1P
Model: QP-7H15 **Head:** WV **Voltage:** 12V
Mount: Ear
Clutch: 5 1/4" (132mm) 2 Groove **R134a**




75R81662Q RD-5-12334-1P
Model: QP-7H15 **Head:** GQ **Voltage:** 12V
Mount: Direct
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R84302Q RD-5-13235-0P
Model: QP-7H15 **Head:** GWA **Voltage:** 12V
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R84612Q RD-5-10297-1P
Model: QP-7H15 **Head:** SNA **Voltage:** 12V
Mount: Ear
Clutch: 5 1/4" (132mm) 2 Groove **R134a**




75R85032Q RD-5-9609-9P
Model: QP-15HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521168 **Seltec:** 488-45075
Clutch: 5" (125mm) 2 Groove **R134a**




75R85102Q RD-5-12899-0P
Model: QP-15HD **Head:** L **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521280 **Seltec:** 488-45082
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R85112Q RD-5-12901-0P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521280 **Seltec:** 488-45082
Clutch: 4 3/4" (123mm) Poly 8 **R134a**



75R85132Q RD-5-12900-0P
Model: QP16HD **Head:** D **Voltage:** 12V
Mount: Direct
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R85332Q RD-5-10319-1P
Model: QP-15HD **Head:** E **Voltage:** 12
Mount: Ear **ICE:** 2521329 **Seltec:** 488-45094
Clutch: 6 1/4" (159mm) 1 Variable Groove **R134a**




75R SERIES

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products


75R85632Q RD-5-10321-1P
Model: QP-15HD **Head:** E **Voltage:** 12
Mount: Ear **ICE:** 2521316 **Seltec:** 488-45023
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R85642Q RD-5-11373-1P
Model: QP15HD **Head:** E **Voltage:** 12V
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R85714Q RD-5-10323-1P
Model: QP-15HD **Head:** C **Voltage:** 24
Mount: Ear **ICE:** 2521279 **Seltec:** 488-45073
Clutch: 6 1/4" (159mm) 1 Groove **R134a**




75R85732Q RD-5-10428-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521324 **Seltec:** 488-45069
Clutch: 5 1/4" (135mm) 2 Groove **R134a**




75R85734Q RD-5-10322-1P
Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521165 **Seltec:** 488-45061
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**




75R85832Q RD-5-10324-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521323 **Seltec:** 488-45068
Clutch: 4 3/4" (123mm) Poly 6 **R134a**




75R85932Q RD-5-10325-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521156 **Seltec:** 488-45019
Clutch: 4 3/4" (123mm) Poly 6 **R134a**




75R86092Q RD-5-10431-1P
Model: QP-15HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521330 **Seltec:** 488-45097
Clutch: 4 3/4" (123mm) Poly 6 **R134a**




75R86132Q RD-5-10429-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521266 **Seltec:** 488-45122
Clutch: 4 3/4" (123mm) Poly 8 **R134a**




75R86134Q RD-5-10326-1P
Model: QP-15HD **Head:** A **Voltage:** 24
Mount: Direct **ICE:** 2521268 **Seltec:** 488-45081
Clutch: 6 1/4" (159mm) Variable 1 Groove **R134a**



75R86142Q RD-5-12530-1P
Model: QP-21HD **Head:** J **Voltage:** 12
Mount: Direct **ICE:** 2521562 **Seltec:** 435-67256, 488-47244
Clutch: 5 1/2" (141mm) Poly 8 **R134a**




75R86144Q RD-5-11866-2P
Model: QP-21HD **Head:** J **Voltage:** 24
Mount: Direct **ICE:** 2521563 **Seltec:** 488-47246
Clutch: 5 1/2" (141mm) Poly 8 **R134a**




Replacements for ICE / Seltec / Sanden Products – **QUE COMPRESSORS****75R86152Q RD-5-10327-1P**


Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521280 **Seltec:** 488-45082
Clutch: 4 3/4" (123mm) Poly 8 **R134a**

**75R86162Q RD-5-10328-1P**


Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Direct **ICE:** 2521281 **Seltec:** 488-45084
Clutch: 4 3/4" (123mm) Poly 8 **R134a**

**75R86172Q RD-5-10329-1P**


Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521170 **Seltec:** 488-45088
Clutch: 4 3/4" (123mm) Poly 6 **R134a**

**75R86182Q RD-5-10426-1P**


Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct **ICE:** 2521282 **Seltec:** 488-45092
Clutch: 5 1/4" (135mm) 2 Groove **R134a**

**75R86194Q RD-5-10427-2P**


Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Direct **ICE:** 2521294 **Seltec:** 488-45090
Clutch: 5 1/4" (135mm) 2 Groove **R134a**

**75R86202Q RD-5-11521-1P**


Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521186 **Seltec:** 488-46030
Clutch: 5 1/4" (135mm) 2 Groove **R134a**

**75R86212Q RD-5-11520-1P**


Model: QP-16HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521350 **Seltec:** 488-46075
Clutch: 5" (125mm) 2 Groove **R134a**

**75R86222Q RD-5-11523-1P**


Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521596 **Seltec:** 488-46059
Clutch: 5 1/4" (135mm) 2 Groove **R134a**

**75R86232Q RD-5-13041-0P**

Model: QP16HD **Head:** A **Voltage:** 12V
Mount: Ear
Clutch: 5 1/4" (135mm) 2 Groove **R134a**

**75R86332Q RD-5-13153-0P**

Model: QP21 **Head:** J **Voltage:** 12V
Mount: Direct
Clutch: 5" (125mm) 2 Groove **R134a**



QUE / ICE / SELTEC HEAD TYPE (Rear port adapters)**75R8505****RD-5-8010-0P****Head Type A**Horizontal Male O-Ring
 $\frac{3}{4}$ " X $\frac{7}{8}$ "**75R8520****RD-5-9156-0P****Head Type E**Vertical Male O-Ring
1" X 14**Reference Only****Head Type J**GM Pad
Pad Fitting**75R8507****RD-5-9611-0P****Head Type B**Vertical Female O-Ring
 $\frac{3}{4}$ " X $\frac{7}{8}$ "**Reference Only****Head Type F**Vertical O-Ring, R-12 Compressors
 $\frac{3}{4}$ " X $\frac{7}{8}$ "**Reference Only****Head Type L**Horizontal Pad
Volvo**75R8510****RD-5-9154-0P****Head Type C**Horizontal Male O-Ring
1" X 14**Reference Only****Head Type G**Vertical O-Ring, Top Outlet – TM31 Series
1 $\frac{1}{16}$ " X 1 $\frac{7}{8}$ "**Reference Only****Head Type Z**Horizontal Pad
 $\frac{3}{4}$ " X $\frac{7}{8}$ "**75R8515****RD-5-9155-0P****Head Type D**Vertical Male O-Ring
 $\frac{3}{4}$ " X $\frac{7}{8}$ "**Reference Only****Head Type H**Lateral Pad
Pad Fitting




75R SERIES

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products

QP-31

Bore	1.42in (36mm)
Stroke	1.21in (30.7mm)
Displacement per Revolution	19.1cu.in (313cm ³)
Number of Cylinders	10
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	134a
Lubricant	PAG 16.9 oz.
Weight (includes clutch)	31.9 lbs (14.5kg)
Rotation	Clockwise

NOTE: Photo is shown with one of two options for clutches.







TM-31HD

HEAD			MOUNT	COMPRESSOR						CLUTCH		
Head Type	Fitting Position	Fitting Size	Mount Type	Model Type	R134a	Displ Cu In	Red Dot Part No.	Red Dot Factory No.	TCCI Part No.	Clutch Type	Shaft Type	# of Wires/Connector
12 VOLTS												
G	Top Outlet	1 1/16 x 7/8	Direct (Tangent)	QP-31	X	19.1	75R8652	RD-5-8766-0P	252-1209	6" (152 mm) 2 Groove	Spline	1, Bullet (male)
G	Top Outlet	1 1/16 x 7/8	Direct (Tangent)	QP-31	X	19.1	75R8662	RD-5-8767-0P	252-1213	6" (152 mm) POLY 8	Spline	1, Bullet (male)

Bore	1.42in (36mm)
Stroke	1.21in (30.7mm)
Displacement per Revolution	19.1cu.in (313cm ³)
Number of Cylinders	10
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	5,000
Refrigerant	134a
Lubricant	ZXL100PG, 500 cm ³
Weight	21 lbs (9.5kg)
Rotation	Clockwise


NOTE: Photo is shown with one of two options for clutches.




IDENTIFYING CCI COMPRESSORS

The metal nameplate located at the top front of the compressor serves as a means of identification. The location permits viewing the nameplate with the clutch installed.

Data inscribed on the nameplate includes the serial number, combination model/part number, date of manufacture and type of refrigerant.



CCI HEAD TYPES



CCI/YORK/TECUMSEH COMPRESSORS

Bore	1.875 (47.6mm)
Stroke	1.876 47.4mm)
Displacement per Revolution	10.3 cu. in. (170cc)
Number of Cylinders	2
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	R-12/R134A
Oil (PAG)	10 fl. oz. (200cc)
Weight	14.6 lbs. (6.6 kg.)
Rotation	Clockwise or Counter Clockwise

CCI Compressor
without ClutchCCI Compressor
Combination
with Clutch

OE Model No.	Fitting Size	Red Dot Part No.	Factory Part No.	Note	Clutch Type	Gauge Line	Number of Wires Connector Type	Red Dot Clutch Part No.	RD Factory Clutch Part No.
--------------	--------------	------------------	------------------	------	-------------	------------	-----------------------------------	-------------------------	----------------------------

ROTOLOCK, 12 VOLT**LH Suction, R-12/R134a**

ER210L-21237 ER210L-25062 ER210L-25149, 99242-5	1/2" x 5/8"	75R7280	RD-5-8637-1P	1	Supplied without clutch	N/A	N/A	See clutch section	
ER210L-21571C ER210L-25248C	1/2" x 5/8"	NA	NA	2	6", 2 Groove, 1/2"	N/A	N/A	75R1202	RD-5-4972-1P
ER210L-21237 ER210L-25427	1/2" x 5/8"	75R7285	RD-5-8060-1P	3	Supplied without clutch	N/A	N/A	See clutch section	
ER210L-25428, -25428C	1/2" x 5/8"	NA	NA	4	6", 2 Groove, 1/2"	N/A	N/A	75R1202	RD-5-4972-1P
RH Suction, R-12/ R134a									
ER210R-25200 ER210R-16792	1/2" x 5/8"	75R7265	RD-5-10826-0P	1	Supplied without clutch	N/A	N/A	See clutch section	

TUBE-O-RING, 12 VOLT**LH Suction, R-12/R134a**

ET210L-21160 ET210L-25061 ET210L-25150,-C 99244-5	1" - 14	75R7290	RD-5-8638-0P	1	Supplied without clutch	N/A	N/A	See clutch section	
ET210L-25073C	1" - 14	75R7312	RD-5-11217-0P	5	6", 2 Groove, 1/2"	1 5/8"	1, Weatherpak	75R1202	RD-5-4972-1P
ET210L-25076C	1" - 14	NA	NA	5	6", 1 Groove, 1/2"	2 3/4"	1, Weatherpak	75R0302	RD-5-4966-0P
ET210L-25150	1/2" x 5/8"	75R7295	RD-5-8061-1P	3	Supplied without clutch	N/A	N/A	75R1202	RD-5-4972-1P
ET210L-25182C	1" - 14	NA	NA	5	5 3/4", Poly 6, .014"	2 15/16"	1, Weatherpak	75R0512	RD-5-10364-0P
ET210L-25224C	1" - 14	NA	NA	5	5 3/8", Poly 8, .014"	1 5/8"	1, Weatherpak	75R0662	RD-5-9802-0P

Notes:

Generic Compressors are OEM factory built but may contain noncritical reconditioned components

- | | |
|---|--|
| 1 Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil | 4 Rotolock with 2 Groove clutch |
| 2 Standard Generic, with Super Screws, Felt Ring, PRV and Ester Oil | 5 OE Replacement, Standard Duty |
| 3 Super HD Generic, with Super Screws, Felt Ring, PRV and Ester Oil | 6 Tube O with Ford Connector |

LS = Limited to stock on hand

75R SERIES

CCI/YORK/TECUMSEH COMPRESSORS

OE Model No.	Fitting Size	Red Dot Part No.	Factory Part No.	Note	Clutch Type	Gauge Line	Number of Wires Connector Type	Red Dot Clutch Part No.	RD Factory Clutch Part No.
--------------	--------------	------------------	------------------	------	-------------	------------	--------------------------------	-------------------------	----------------------------

TUBE-O-RING, 12 VOLT

LH Suction, R-12/R134a									
ET210L-25237C	1" - 14	75R7322	RD-5-11218-0P	5	6", 2 Groove, 1/2"	1 5/8"	2, Metripak	75R1302	RD-5-9456-0P
ET210L-25240C	1" - 14	NA	NA	5	5 3/4", Poly 6, .014"	2"	2, Metripak	75R0502	RD-5-10363-0P
ET210L-25246C	1" - 14	75R7332	RD-5-11219-0P	5	6 1/8", Poly 8, .014"	1 15/16"	2, Metripak	75R0682	RD-5-10365-0P
ET210L-25404C	1" - 14	NA	NA	5	6 1/8", Poly 6, .014"	N/A	1, IHC	75R0612	RD-5-8009-0P
ET210L-25405C	1" - 14	NA	NA	5	6", 1 Groove, 1/2"	2 3/4"	1, IHC	75R0402	RD-5-9665-0P
ET210L-25406C	1" - 14	NA	NA	5	6 1/4", 1 Groove, 1/2"	2 11/16"	1, IHC	75R1342	RD-5-10397-0P
ET210L-25407C	1" - 14	NA	NA	5	6", 2 Groove, 1/2"	1 5/8"	1, Weatherpak	75R1202	RD-5-4972-1P
ET210L-25408C	1" - 14	NA	NA	5	5 3/8", Poly 8, .014"	1 5/8"	1, Weatherpak	75R0662	RD-5-9802-0P
ET210L-25409C	1" - 14	NA	NA	5	6 3/4", 2 Groove, 1/2"	2 1/4"	1, IHC	75R3452	RD-5-4987-0P
ET210L-21160 ET210L-25428 ET210L-25428C	1/2" x 5/8"	75R7295	RD-5-8061-1P	3	Supplied without clutch	N/A	N/A	75R1202	RD-5-4972-1P

SLIMLINE SERIES HEAD

INSERT TUBE, R-12/R134a									
-------------------------	--	--	--	--	--	--	--	--	--

ES210L-25334	1" - 14	75R7300	RD-5-10029-0P	Note 5	Supplied without clutch	N/A	N/A	See clutch section	
--------------	---------	----------------	---------------	--------	-------------------------	-----	-----	--------------------	--

MINI STAT-O-SEAL									
------------------	--	--	--	--	--	--	--	--	--

LH Suction, R-12/
R134a

ES210L-25334C	1" - 14	75R7300	RD-5-10029-0P	Note 5	Supplied without clutch	N/A	N/A	See clutch section	
ES210L-25335C	1/2" x 5/8"	NA	NA	Note 5	6", 2 Groove, 1/2"	1 5/8"	2, Metripak	75R1302	RD-5-9456-0P
ES210L-25336C	1/2" x 5/8"	NA	NA	Note 5	5 3/4", Poly 6, .014"	1 5/8"	2, Metripak	75R0522	RD-5-10366-0P
ES210L-25338C	1/2" x 5/8"	NA	NA	Note 5	6 1/8", Poly 8, .014"	1 15/16"	2, Metripak	75R0682	RD-5-10365-0P

Notes:

Generic Compressors are OEM factory built but may contain noncritical reconditioned components

- | | |
|---|--|
| 1 Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil | 4 Rotolock with 2 Groove clutch |
| 2 Standard Generic, with Super Screws, Felt Ring, PRV and Ester Oil | 5 OE Replacement, Standard Duty |
| 3 Super HD Generic, with Super Screws, Felt Ring, PRV and Ester Oil | 6 Tube O with Ford Connector |

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020

RD-5-9987-0P



GMA6 COMPRESSORS

75R8102

RD-5-5000-0P

GMC A6R, Generic

Superheat switch port

5" Single Groove Clutch – 12 volt

Pulley with $\frac{1}{2}$ " – $\frac{3}{4}$ " variable groove

R-12/R134a – no oil

Standard thread mounting holes

Clockwise rotation

**75R8184**

RD-5-7566-0P

GMC A6R, New

Without Superheat switch port

7" Single Groove Clutch 24 volt

Pulley with $\frac{1}{2}$ " – $\frac{3}{4}$ " variable groove

R-12

Shipped with 10 oz. mineral oil

Metric thread mounting holes

Clockwise rotation



NOTE: Generic Compressors are OEM factory built but may contain noncritical reconditioned components

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020

RD-5-9987-0P



RK MODEL**115 Volt AC-Powered Compressor**

Reduce Fuel Consumption

For use with heavy-duty AC power units with a 115 VAC source.

Ideal for heavy-duty anti-idle applications and RV refrigeration.

Red Dot No.	Factory No.	Model Description
75R75192	RD-5-11974-0P	12,000 BTU 115 volts A.C. 60 Cycle Single Phase

Vein-type Rotary Compressor

Refrigerant	R-134a
Oil	PVE (Polyvinyl Ether)
Viscosity	66.57 @40°C

Dimensions

Overall Length	12"
Diameter	5 ⁵ / ₁₆ "
Mounting Plate Diameter (hole to hole)	6 ¹⁵ / ₁₆ "
Mounting Hole Diameter	³ / ₄ "
Mounting (hole to hole) Dimension	4"
Weight	30 lbs (13.6kg)
Voltage	115 VAC
Cycle (hz)	60
Phase	Single



COMPRESSOR SERVICE PARTS

75R5200 RD-5-8334-0M

CCI And Tecumseh Keyway — 10 Per Package

**75R5201** RD-5-9979-0M

Sanden Shaft Key 508/510/709 — 10 Per Package

**75R5500** RD-5-3941-0MService Valve Stem Cover with neoprene seal for backseat-type compressor — 10 Per Package
Fits CCI & Tecumseh**75R5512** RD-5-9974-0M $\frac{3}{16}$ " ($\frac{3}{8}$ x 24) Disabler Cap
Port Block Off**75R5520** RD-5-3698-0MTeflon Rotolock Compressor Gasket Seal
10 Per Package
IHC/Navistar
ZGG19499**75R5525** RD-5-9806-0MO-Ring Seal fits Sanden FLX7 fitting adapters
GM A6 DAG, HR6, R4, R5 compressor
Suction/Discharge Port O-Ring
10 Per Package**75R5540** RD-5-5401-0MPlastic Schrader Port Cap — 10 Per Package
 $\frac{3}{16}$ " charging port**75R5550** RD-5-3940-0M


Gauge Port Acorn Nut — 10 Per Package

LS**75R5555** RD-5-11325-0ME-Z Clip Low Side Cap
20 Per Package**75R5556** RD-5-11223-0ME-Z Clip High Side Cap
20 Per Package**75R5560** RD-5-7523-0M13mm Low Side Service—Black — 25 Per Package
valve cap with neoprene seal;
OE & aftermarket type R-134a ports**75R5565** RD-5-8293-0M13mm Low Side High Flow Valve Cap with neoprene
seal—Blue, R-134a port — 10 Per Package**75R5570** RD-5-7524-0M16mm High Side Service Flow Valve Cap with
neoprene seal — Black — 25 Per Package**75R5575** RD-5-8292-0M16mm High Side High Flow Valve Cap with
neoprene seal — Red — R-134a Eaton OEM SSV
10 Per Package**75R5700** RD-5-4997-0MAdapter converts Rotolock To Tube O-Ring
2 Per Package**75R5705** RD-5-9812-0P

Converts Tube O-Ring To Rotolock adapter

**79R4597** RD-5-11568-0P

Sanden Oil Dip Stick

SCHRADER ADAPTER
FITTINGS**70R5100** RD-5-6098-0M $\frac{3}{8}$ -24 UNF-2A Male Thread with Bulkhead Type Seal
Using a 2-012 O-Ring for Installation in Receiver
Drier Pressure Ports
10 per package**70R5110** RD-5-6691-0MRefrigeration Valve Core for Schrader Valves
10 per package**70R5115** RD-5-9084-0MValve Core for 134A Fittings
10 per package**70R5120** RD-5-9809-0MEaton 13mm SSV High Flow-High Side
10 per package**70R5125** RD-5-9810-0MEaton 16mm SSV High Flow-Low Side
10 per package**79R8945** RD-5-12674-0PHigh Flow Schrader Valve Core Remover/Installer
Tool

SERVICE PORTS AND ADAPTERS

IN-LINE SERVICE PORT

75R5806	RD-5-7306-OP	#6
75R5808	RD-5-7539-OP	#8
75R5801	RD-5-7310-OP	#10



STEEL HIGHSIDE CHARGE ADAPTER

All include valve core, neoprene O-ring and threadlock

75R5825	RD-5-9816-OP	13mm 1/4" (7/16 - 20) Threads Blue Cap - Low Side
75R5824	RD-5-9815-OP	16mm 1/4" (7/16 - 20) Threads Red Cap - High Side



CHARGE ADAPTER KIT WITH SCHRADER INSERT

75R5815	RD-5-7964-OP	
----------------	--------------	--



CHARGE FITTINGS

75R5813	RD-5-7277-OM	Lowside 134a Fitting
75R5814	RD-5-7278-OM	Highside 134a Fitting (for use on hard lines)
75R5833	RD-5-9218-OM	Lowside 134a Fitting
75R5834	RD-5-9219-OM	Highside 134a Fitting (for use on hard lines)



HD RETROFIT ADAPTER KIT

79R8940

RD-5-9986-OP



90° CHARGE ADAPTERS

All include valve core, neoprene O-ring and threadlock

75R5819	RD-5-8850-OP	Lowside 90° 134A Charge Adapter with 1/4 (7/16-20) Thread 13mm, Blue Cap
75R5820	RD-5-8851-OP	Highside 90° 134A Charge Adapter with 1/4 (7/16-20) Thread Red Cap



90° GM SERVICE FITTING WITH PORT

75R5858	RD-5-7438-OP	#8
75R5852	RD-5-7488-OP	#12



90° COMPRESSOR PORT REVERSED

75R5838	RD-5-7439-OP	#8
75R5832	RD-5-7489-OP	#12



ST GM SERVICE FITTING WITH PORT

75R5848	RD-5-7437-OP	#8
75R5842	RD-5-7487-OP	#12



COMPRESSOR O-RING FITTING

USED ON SANDEN ONLY WITH "C" OR "M" HEAD

75R5871S RD-5-8184-OP

#10 Straight Female Tube-O with
134a Port Fits Sanden "M" Heads



75R5711 RD-5-5397-OP

#10 O-Ring to 1" x 14 O-Ring with
Schrader port



75R5878S RD-5-8402-OP

#8 Straight Female Tube-O with 134a
Port Fits Sanden "M" Heads



75R5718 RD-5-5396-OP

#8 O-Ring to 1" x 14 O-Ring with
Schrader port



LS = Limited to stock on hand

COMPRESSOR ACCESSORIES

COMPRESSOR SERVICE FITTINGS

Hose End Fitting Type	Hose End Fitting	Size	Valve Type	Port Description / Location	Red Dot Part No.	Red Dot Factory No.
-----------------------	------------------	------	------------	-----------------------------	------------------	---------------------

ROTOLOCK HEAD

Port Charge Type - R-134a

O-Ring	8	3/4"	Backseat	16mm (Hi Side)	75R5698	RD-5-9813-0P
O-Ring	8	3/4"	Service Fitting	-	75R5668	RD-5-7318-0P
O-Ring	8	3/4"	Service Fitting	16mm (Hi Side)	75R5688	RD-5-7966-0P
Beadlock	8	3/4"	Service Fitting	16mm (Hi Side), Top	75R5728	RD-5-9952-0P
O-Ring	10	7/8"	Backseat	13mm (Lo Side)	75R5691	RD-5-9814-0P
O-Ring	10	7/8"	Service Fitting	-	75R5661	RD-5-7320-0P
O-Ring	10	7/8"	Service Fitting	13mm (Lo Side)	75R5681	RD-5-7967-0P
Beadlock	10	7/8"	Service Fitting	13mm (Lo Side), Top	75R5721	RD-5-9953-0P
Beadlock	12	1 1/16"	Service Fitting	13mm (Lo Side)	75R5722	RD-5-9955-0P

Port Charge Type - R-12

O-Ring	8	3/4"	Backseat	1/4" (7/16 -20), Side	75R5608	RD-5-3693-0P
O-Ring	8	3/4"	Backseat	1/4" (7/16 -20), Top	75R5618	RD-5-3693-1P
Flare	8	3/4"	Backseat	1/4" (7/16 -20), Side	75R5628	RD-5-5195-0P
O-Ring	10	7/8"	Backseat	1/4" (7/16 -20), Side	75R5601	RD-5-3694-0P
O-Ring	10	7/8"	Backseat	1/4" (7/16 -20), Top	75R5611	RD-5-3694-1P
Flare	10	7/8"	Backseat	1/4" (7/16 -20), Side	75R5621	RD-5-5196-0P

TUBE O-RING

Port Charge Type - R-134a

O-Ring	8	3/4"	Backseat	16mm (Hi Side)	75R5738	RD-5-9910-0P
O-Ring	8	3/4"	Service Fitting	16mm (Hi Side)	75R5648	RD-5-7613-0P
Beadlock	8	3/4"	Service Fitting	16mm (Hi Side)	75R5678	RD-5-7430-0P
O-Ring	8	3/4"	Service Fitting	16mm (Hi Side)	75R5808	RD-5-7539-0P
O-Ring	8	3/4"	Service Fitting	16mm (Hi Side)	75R5768	RD-5-7688-0P
O-Ring	10	7/8"	Backseat	13mm (Lo Side)	75R5731	RD-5-9956-0P
O-Ring	10	7/8"	Service Fitting	13mm (Lo Side)	75R5641	RD-5-7614-0P
Beadlock	10	7/8"	Service Fitting	13mm (Lo Side)	75R5671	RD-5-7456-0P
O-Ring	10	7/8"	Service Fitting	13mm (Lo Side)	75R5761	RD-5-7690-0P
O-Ring	10	7/8"	Service Fitting	13mm (Lo Side)	75R5801	RD-5-7310-0P
Beadlock	12	1 1/16"	Service Fitting	13mm (Lo Side)	75R5672	RD-5-7480-0P

Port Charge Type - R-12

O-Ring	8	3/4"	Backseat	1/4" (7/16 -20), Top	75R5658	RD-5-5197-0P
O-Ring	8	3/4"	Service Fitting	1/4" (7/16 -20)	75R5718	RD-5-5396-0P
O-Ring	10	7/8"	Backseat	1/4" (7/16 -20)	75R5651	RD-5-5198-0P
O-Ring	10	7/8"	Service Fitting	1/4" (7/16 -20)	75R5711	RD-5-5397-0P

75R5601 RD-5-3694-0P#10 Rotolock Compressor Fitting **LS**O-Ring Type Fitting
Backseat Valve Type
R-12**75R5608** RD-5-3693-0P#8 Rotolock Compressor Fitting **LS**O-Ring Type Fitting
Backseat Valve Type
R-12**75R5611** RD-5-3694-1P#10 Rotolock Compressor Fitting **LS**O-Ring Type Fitting
Backseat Valve Type
R-12**75R5618** RD-5-3693-1P#8 Rotolock Compressor Fitting **LS**O-Ring Type Fitting
Backseat Valve Type
R-12**75R5621** RD-5-5196-0P#10 Rotolock Compressor Fitting **LS**Flare Type Fitting
Backseat Valve Type
R-12**75R5628** RD-5-5195-0P#8 Rotolock Compressor Fitting **LS**Flare Type Fitting
Backseat Valve Type
R-12**LS** = Limited to stock on hand

COMPRESSOR SERVICE FITTINGS

75R5641 RD-5-7614-0P

#10 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a



75R5648 RD-5-7613-0P

#8 Tube-O Compressor Fitting **LS**
O-Ring Type Fitting
R-134a



75R5651 RD-5-5198-0P

#10 Tube-O Compressor Fitting **LS**
O-Ring Type Fitting
Backseat Valve Type
R-12



75R5658 RD-5-5197-0P

Tube-O Compressor Fitting **LS**
#8 O-Ring Type Fitting
Backseat Valve Type
R-12



75R5661 RD-5-7320-0P

Rotolock Compressor Fitting
#10 O-Ring Type Fitting
R-134a



75R5668 RD-5-7318-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
R-134a



75R5671 RD-5-7456-0P

Tube-O Compressor Fitting
#10 O-Ring Type Fitting
R-134a



75R5672 RD-5-7480-0P

Tube-O Compressor Fitting
#12 Hose Fitting
Service Fitting Valve



75R5678 RD-5-7430-0P

Tube-O Compressor Fitting
#8 Hose Fitting
R-134a



75R5681 * RD-5-7967-0P

Rotolock Compressor Fitting
#10 Hose Fitting
R-134a



75R5688 * RD-5-7966-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
R-134a



75R5691 RD-5-9814-0P

Rotolock Compressor Fitting
#10 O-Ring Type Fitting
Backseat Valve Type
13mm, 7/8"-14 thread
R-134a



75R5698 RD-5-9813-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
Backseat Valve Type
16mm, 3/4"-16 thread
R-134a



75R5711 * RD-5-5397-0P

#10 Tube-O to 1" X 14 O-Ring
with Schrader Port
R-12



75R5718 * RD-5-5396-0P

#8 Tube-O to 1" X 14 O-Ring
with Schrader Port
R-12



75R5721 RD-5-9953-0P

Rotolock Compressor Fitting
#10 Hose Fitting
R-134a



75R5722 RD-5-9955-0P

Rotolock Compressor Fitting
#12 Hose Fitting
R-134a



75R5728 RD-5-9952-0P

Rotolock Compressor Fitting
#8 Hose Fitting
R-134a



75R5731 RD-5-9956-0P

Tube-O Compressor Fitting
#10 O-Ring Type Fitting
Backseat Valve Type
R-134a



75R5738 RD-5-9910-0P

Tube-O Compressor Fitting
#8 O-Ring Type Fitting
Backseat Valve Type
R-134a



75R5761 RD-5-7690-0P

#10 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a
Converts Tube-O to
Male Insert O-Ring




75R5768 RD-5-7688-0P

#8 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a
Converts Tube-O to
Male Insert O-Ring




75R5801 RD-5-7310-0P

#10 Female (Long Pilot) O-Ring to
#10 Male Insert O-Ring Type Fitting
With R-134a
Service Port



75R5808 RD-5-7539-0P

#8 Female (Long Pilot) O-Ring to
#8 Male Insert O-Ring Type Fitting
With R-134a Service Port



LS = Limited to stock on hand

* Fits Red Dot Model Units R-5040, R-5045, R-5075, R-8230, R-8235, R-8545, R-9520, R-9590, R-9715, R-9800

COMPRESSOR ACCESSORIES

SANDEN COMPRESSOR
ADAPTER BRACKETS**75R6000****RD-5-5031-0P**

Fixed compressor adapter bracket will mount Sanden compressor to most Tecumseh or York brackets.

**75R6010****RD-5-5032-0P**

Adjustable compressor adapter bracket to fit Sanden mount holes

**75R6015****RD-9-1150-0P**

Compressor bracket for Sanden Only

**75R6016****RD-9-9457-0P**

$\frac{3}{8}$ -16 Compressor Adjuster

**75R6017****RD-9-1068-0P**

Adjusting Arm

**75R6018****RD-9-9910-0P**

Ram Horn

**75R6019****RD-5-7987-0P**

Shim Kit




LS = Limited to stock on hand

COMPRESSOR
ADAPTER BRACKETS

Brackets useful in designing mounts for unique engine applications

75R6020**RD-9-1048-0P**

CCI/Tecumseh

**75R6030****RD-9-1049-0P**

Sanden

**75R6040****RD-5-6547-0P**

Belt Tension Kit Pulley Diameter 3 $\frac{3}{8}$ " Belt Size: $\frac{1}{2}$ "


**75R6041****RD-5-6415-0P**

Belt Tension Kit Pulley Diameter 3 $\frac{3}{8}$ " Belt Size: $\frac{1}{2}$ "




TECUMSEH/YORK/CCI SHAFT SEAL KITS

6 Bolt – 1/4" Heads



6 Bolt – 3/8" Heads



75R6500

RD-5-8339-0P

CCI And Tecumseh Shaft Seal Kit 6 Bolts-3/8" Head



75R6510

RD-5-8338-0P

CCI Shaft Seal Kit 6 Bolts-1/4" Head



75R6520

RD-5-8337-0P

Tecumseh Shaft Seal Kit **LS**



ZEXEL/SANDEN SHAFT SEAL KITS

75R6530

RD-5-8340-0P

Zexel (Diesel Kiki)



75R6540

RD-5-8335-0P

Sanden SD508-SD510



75R6545

RD-5-7704-0P

Sanden 7H15,
7H15HD



75R6550

RD-5-8336-0P

Sanden SD709

